[The following regulated substances and threshold quantities have been excerpted from the CALIFORNIA CODE OF REGULATIONS; TITLE 19. PUBLIC SAFETY; DIVISION 2. OFFICE OF EMERGENCY SERVICES; CHAPTER 4.5 CALIFORNIA ACCIDENTAL RELEASE PREVENTION (CalARP) PROGRAM]

Article 8. Regulated Substances for Accidental Release Prevention.

2770.1	Purpose.
2770.2	Threshold Determination.
2770.3	(Reserved).
2770.4	Exemptions.
2770.4.1	Exclusion.
2770.5	List of Substances.

Section 2770.1 Purpose.

This article lists regulated substances pursuant to Section 2770.5 (Tables 1, 2, or 3), identifies specific threshold quantities, and establishes the requirements for petitioning to add, delete, or change the threshold for regulated substances.

NOTE: Authority cited: Sections 25531 and 25534.05, Health and Safety Code. Reference: Sections 25532(g), (j), and (l), 25543.1, and 25543.3, Health and Safety Code; and Section 68.100, Part 68, Title 40, Code of Federal Regulations.

Section 2770.2 Threshold Determination.

- (a) A threshold quantity of a regulated substance is present at a stationary source if the total quantity of a regulated substance contained in a process exceeds the threshold listed in Section 2770.5.
- (b) For the purpose of determining whether more than a threshold quantity of a regulated substance is present at the stationary source, the following apply:
 - (1) Concentrations of a regulated toxic substance in a mixture:
 - (A) A mixture of less than one percent by weight of a regulated toxic substance need not be considered when determining whether more than a threshold quantity is present at the stationary source. A mixture containing a regulated toxic substance is regulated if the concentration of the toxic substance present in the mixture is one percent or greater by weight. The owner or operator of a stationary source shall only consider the weight of the regulated substance in the mixture, not the entire weight of the mixture.

- (B) The owner or operator of a stationary source, when determining whether more than a threshold quantity of a regulated toxic substance in a mixture is present at the stationary source, need not consider portions of the process which can be demonstrated to have a partial pressure of the regulated substance in the mixture (solution), under the handling or storage conditions, which is less than 10 millimeters of mercury (mm Hg). The owner or operator of the stationary source shall document any exempted portions of processes where the partial pressure measurements or estimates are less than 10 mm Hg.
- (C) The exemption regarding 10 mm Hg of partial pressure in (B) does not apply to:
 - (i) Regulated substances which are solids as noted in Section 2770.5, Table 3;
 - (ii) Those regulated substances that failed the evaluation pursuant to Section 25532(g)(2) of HSC as noted in Section 2770.5, Table 3; or,
 - (iii) Oleum, toluene 2,4-diisocyanate, toluene 2,6-diisocyanate and toluene diisocyanate (unspecified isomer) as noted in Section 2770.5.
- (2) Concentrations of a regulated flammable substance in a mixture. A mixture of less than one percent by weight of a regulated flammable substance need not be considered when determining whether more than a threshold quantity is present at the stationary source. Except as provided in Sections (b)(2)(A) and (2)(B) of this section, if the concentration of the substance in the mixture is one percent or greater by weight of the mixture, then, for the purpose of determining whether a threshold quantity is present at the stationary source, the entire weight of the mixture shall be treated as the regulated substance unless the owner or operator can demonstrate that the mixture itself does not have a NFPA flammability hazard rating of 4. The demonstration shall be in accordance with the definition of flammability hazard rating 4 in the NFPA 704, Standard System for the Identification of the Hazards of Materials for Emergency Response, NFPA, Quincy, MA, 1996. (Available from the NFPA, 1 Batterymarch Park, Quincy, MA 02269-9101. This incorporation by reference was approved by the Director of the Federal Register in accordance with 5 U.S.C. 552 (a) and 1 CFR part 51. Copies may be inspected at the Environmental Protection Agency Air Docket (6102), Attn: Docket No. A-96-08, Waterside Mall, 401 M. St. SW., Washington D.C.; or at the Office of Federal Register at 800 North Capitol St., NW, Suite 700, Washington, D.C.) Boiling point and flash point shall be defined and determined in accordance with NFPA 30, Flammable and Combustible Liquids Code, NFPA, Quincy, MA, 1996. (Available from the NFPA, 1 Batterymarch Park, Quincy, MA 02269-9101. This incorporation by reference was approved by the Director of the Federal Register in accordance with 5 U.S.C. 552 (a) and 1 CFR part 51. Copies may be inspected at the Environmental Protection Agency Air Docket (6102), Attn: Docket No. A-96-08, Waterside Mall, 401 M. St. SW., Washington D.C.; or at the Office of Federal Register at 800 North

Capitol St., NW, Suite 700, Washington, D.C.) The owner or operator shall document the NFPA flammability hazard rating.

- (A) Gasoline. Regulated substances in gasoline, when in distribution or related storage for use as fuel for internal combustion engines, need not be considered when determining whether more than a threshold quantity is present at a stationary source.
- (B) Naturally occurring hydrocarbon mixtures. Prior to entry into a natural gas processing plant or a petroleum refining process unit, regulated substances in naturally occurring hydrocarbon mixtures need not be considered when determining whether more than a threshold quantity is present at a stationary source. Naturally occurring hydrocarbon mixtures include any combination of the following: condensate, crude oil, field gas, and produced water, each as defined in Section 2735.3.
- (3) Articles. Regulated substances contained in articles need not be considered when determining whether more than a threshold quantity is present at the stationary source.
- (4) Uses. Regulated substances, when in use for the following purposes, need not be included in determining whether more than a threshold quantity is present at the stationary source:
 - (A) Use as a structural component of the stationary source;
 - (B) Use of products for routine janitorial maintenance;
 - (C) Use by employees of foods, drugs, cosmetics, or other personal items containing the regulated substance; and,
 - (D) Use of regulated substances present in process water or non-contact cooling water as drawn from the environment or municipal sources, or use of regulated substances present in air used either as compressed air or as part of combustion.
- (5) Activities in laboratories. If a regulated substance is manufactured, processed, or used in a laboratory at a stationary source under the supervision of a technically qualified individual as defined in Section 720.3(ee) of Chapter 1 of Title 40 of CFR, the quantity of the substance need not be considered in determining whether a threshold quantity is present. This exemption does not apply to:
 - (A) Specialty chemical production;
 - (B) Manufacture, processing, or use of substances in pilot plant scale operations; and,

(C) Activities conducted outside the laboratory.

NOTE: Authority cited: Sections 25531 and 25534.05, Health and Safety Code. Reference: Section 25532(j) and (l) and 25543.3, Health and Safety Code; and Section 68.115, Part 68, Title 40, Code of Federal Regulations.

Section 2770.3 (Reserved).

Section 2770.4 Exemptions.

Agricultural nutrients. Ammonia used as an agricultural nutrient, when held by farmers, is exempt from all provisions of this chapter.

NOTE: Authority cited: Sections 25531 and 25534.05, Health and Safety Code. Reference: Section 25531, Health and Safety Code; and Section 68.125, Part 68, Title 40, Code of Federal Regulations.

Section 2770.4.1 Exclusion.

Flammable substances used as fuel or held for sale as fuel at retail facilities. A flammable substance listed in Section 2770.5, Table 2, is nevertheless excluded from all provisions of this chapter when the substance is used as a fuel or held for sale as a fuel at a retail facility.

NOTE: Authority cited: Sections 25531, 25533, and 25534.05, Health and Safety Code. Reference: Section 25531, Health and Safety Code; and Section 68.126, Part 68, Title 40, Code of Federal Regulations.

Section 2770.5 List of Substances.

Regulated toxic and flammable substances under Section 112(r) of the federal CAA are the substances listed in Tables 1 and 2. Table 3 lists those regulated substances pursuant to Section 25532(g)(2) of HSC. Threshold quantities for listed toxic and flammable substances are specified in the tables.

NOTE: Authority cited: Sections 25531 and 25534.05, Health and Safety Code. Reference: Sections 25532(g)(2) and 25543.3, Health and Safety Code; and Section 68.130, Part 68, Title 40, Code of Federal Regulations.

Table 1. Federal Regulated Substances List and Threshold Quantities for Accidental Release Prevention

Chemical Name	Also on	CAS	Threshold	Basis
	Table 3 f	Number	quantity (lbs)	for listing
Acrolein [2-Propenal]	yes	107-02-8	5,000	b
Acrylonitrile [2-Propenenitrile]	yes	107-13-1	20,000	b
Acrylyl chloride [2-Propenoyl chloride]	yes	814-68-6	5,000	b
Allyl alcohol [2-Propen-l-ol]	yes	107-18-6	15,000	b
Allylamine [2-Propen-l-amine]	yes	107-11-9	10,000	b
Ammonia (anhydrous)	yes	7664-41-7	10,000	a,b
Ammonia (conc 20% or greater)	yes	7664-41-7	20,000	a,b
Arsenous trichloride	yes	7784-34-1	15,000	b
Arsine	yes	7784-42-1	1,000	b
Boron trichloride [Borane, trichloro-]	yes	10294-34-5	5,000	b
Boron trifluoride [Borane, trifluoro-]	yes	7637-07-2	5,000	b
Boron trifluoride compound with methyl ether (1:1) [Boron, trifluoro [oxybis[metane]]]-, T-4-	yes	353-42-4	15,000	b
Bromine	yes	7726-95-6	10,000	a,b
Carbon disulfide	yes	75-15-0	20,000	b
Chlorine	yes	7782-50-5	2,500	a,b
Chlorine dioxide [Chlorine oxide (ClO2)]	no	10049-04-4	1,000	c
Chloroform [Methane, trichloro-]	yes	67-66-3	20,000	b
Chloromethyl ether [Methane, oxybis[chloro-]]	yes	542-88-1	1,000	b
Chloromethyl methyl ether [Methane, chloromethoxy-]	yes	107-30-2	5,000	b
Crotonaldehyde [2-Butenal]	yes	4170-30-3	20,000	b
Crotonaldehyde, (E)- [2-Butenal, (E)-]	yes	123-73-9	20,000	b
Cyanogen chloride	no	506-77-4	10,000	c
Cyclohexylamine [Cyclohexanamine]	yes	108-91-8	15,000	b
Diborane Diborane	yes	19287-45-7	2,500	b
Dimethyldichlorosilane [Silane, dichlorodimethyl-]	yes	75-78-5	5,000	b
1,1-Dimethylhydrazine [Hydrazine,1,1-dimethyl-]	yes	57-14-7	15,000	b
Epichlorohydrin [Oxirane, (chloromethyl)-]	yes	106-89-8	20,000	b
Ethylenediamine [1,2-Ethanediamine]	yes	107-15-3	20,000	b
Ethyleneimine [Aziridine]		151-56-4	10,000	b
Ethylene oxide [Oxirane]	yes	75-21-8	10,000	a,b
Fluorine	yes	7782-41-4	1,000	<u>а,</u> о b
Formaldehyde (solution)	yes			b
Furan	yes	50-00-0 110-00-9	15,000 5,000	b
	yes			
Hydrazine 270/ 270/ 270/ 270/ 270/ 270/ 270/ 270/	yes	302-01-2	15,000	<u>b</u>
Hydrochloric acid (conc 37% or greater)	no	7647-01-0	15,000	d
Hydrocyanic acid	yes	74-90-8	2,500	a,b
Hydrogen chloride (anhydrous) [Hydrochloric acid]	yes	7647-01-0 7664-39-3	5,000	a
Hydrogen fluoride/Hydrofluoric acid (conc 50% or greater) [Hydrofluoric acid]	yes		1,000	a,b
Hydrogen selenide	yes	7783-07-5	500	b
Hydrogen sulfide	yes	7783-06-4	10,000	a,b
Iron, pentacarbonyl- [Iron carbonyl (Fe(CO)5), (TB-5-11)-]	yes	13463-40-6	2,500	b
Isobutyronitrile [Propanenitrile, 2-methyl-]	yes	78-82-0	20,000	b
Isopropyl chloroformate [Carbonochloridic acid, 1-methylethyl ester]	yes	108-23-6	15,000	b
Methacrylonitrile [2-Propenenitrile, 2-methyl-]	yes	126-98-7	10,000	b
Methyl chloride [Methane, chloro-]	no	74-87-3	10,000	a

Table 1. Federal Regulated Substances List and Threshold Quantities for Accidental Release Prevention

Chemical Name	Also on Table 3 ^f	CAS Number	Threshold quantity (lbs)	Basis for listing
Methyl chloroformate [Carbonochloridic acid, methylester]	yes	79-22-1	5,000	b
Methyl hydrazine [Hydrazine, methyl-]	yes	60-34-4	15,000	b
Methyl isocyanate [Methane, isocyanato-]	yes	624-83-9	10,000	a,b
Methyl mercaptan [Methanethiol]	yes	74-93-1	10,000	b
Methyl thiocyanate [Thiocyanic acid, methyl ester]	yes	556-64-9	20,000	b
Methyltrichlorosilane [Silane, trichloromethyl-]	yes	75-79-6	5,000	b
Nickel carbonyl	yes	13463-39-3	1,000	b
Nitric acid (conc 80% or greater)	yes	7697-37-2	15,000	b
Nitric oxide [Nitrogen oxide (NO)]	yes	10102-43-9	10,000	b
Oleum (Fuming Sulfuric acid) [Sulfuric acid, mixture with sulfur trioxide] ¹	no	8014-95-7	10,000	e
Peracetic acid [Ethaneperoxoic acid]	yes	79-21-0	10,000	b
Perchloromethylmercaptan [Methanesulfenyl chloride, trichloro-]	yes	594-42-3	10,000	b
Phosgene [Carbonic dichloride]	yes	75-44-5	500	a,b
Phosphine	yes	7803-51-2	5,000	b
Phosphorus oxychloride [Phosphoryl chloride]	yes	10025-87-3	5,000	b
Phosphorus trichloride [Phosphorous trichloride]	yes	7719-12-2	15,000	b
Piperidine	yes	110-89-4	15,000	b
Propionitrile [Propanenitrile]	yes	107-12-0	10,000	b
Propyl chloroformate [Carbonochloridic acid, propylester]	yes	109-61-5	15,000	b
Propyleneimine [Aziridine, 2-methyl-]	yes	75-55-8	10,000	b
Propylene oxide [Oxirane, methyl-]	yes	75-56-9	10,000	b
Sulfur dioxide (anhydrous)	yes	7446-09-5	5,000	a,b
Sulfur tetrafluoride [Sulfur fluoride (SF4), (T-4)-]	yes	7783-60-0	2,500	b
Sulfur trioxide	yes	7446-11-9	10,000	a,b
Tetramethyllead [Plumbane, tetramethyl-]	yes	75-74-1	10,000	b
Tetranitromethane [Methane, tetranitro-]	yes	509-14-8	10,000	b
Titanium tetrachloride [Titanium chloride (TiCl4) (T-4)-]	yes	7550-45-0	2,500	b
Toluene 2,4-diisocyanate [Benzene, 2,4-diisocyanato-1-methyl-] ¹	yes	584-84-9	10,000	a
Toluene 2,6-diisocyanate [Benzene, 1,3-diisocyanato-2-methyl-] ¹	yes	91-08-7	10,000	a
Toluene diisocyanate (unspecified isomer) [Benzene, 1,3-diisocyanatomethyl-] 1	no	26471-62-5	10,000	a
Trimethylchlorosilane [Silane, chlorotrimethyl-]	yes	75-77-4	10,000	b
Vinyl acetate monomer [Acetic acid ethenyl ester]	ves	108-05-4	15,000	b

¹ The exemption in Section 2770.2(b)(1)(B) regarding portions of a process where this regulated substance is handled at partial pressures below 10 mm Hg does not apply to this substance.

Note - Basis for Listing:

- Mandated for listing by Congress.
- On EHS list, vapor pressure 10 mmHg or greater.
- Toxic gas.
- Toxicity of hydrogen chloride, potential to release hydrogen chloride, and history of accidents. d
- Toxicity of sulfur trioxide and sulfuric acid, potential to release sulfur trioxide, and history of accidents.

 This column identifies substances which may appear on Table 3. Table 3 may not have concentration limitations.

Table 2. Federal Regulated Flammable Substances List ¹ and Threshold Quantities for Accidental Release Prevention

Chemical Name	CAS Numbers	Threshold quantity (lbs)	Basis for listing
Acetaldehyde	75-07-0	10,000	g
Acetylene [Ethyne]	74-86-2	10,000	f
Bromotrifluorethylene [Ethene, bromotrifluoro-]	598-73-2	10,000	f
1,3-Butadiene	106-99-0	10,000	f
Butane	106-97-8	10,000	f
1-Butene	106-98-9	10,000	f
2-Butene	107-01-7	10,000	f
Butene	25167-67-3	10,000	f
2-Butene-cis	590-18-1	10,000	f
2-Butene-trans [2-Butene, (E)]	624-64-6	10.000	f
Carbon oxysulfide [Carbon oxide sulfide (COS)]	463-58-1	10,000	f
Chlorine monoxide [Chlorine oxide]	7791-21-1	10,000	f
2-Chloropropylene [1-Propene, 2-chloro-]	557-98-2	10,000	g
1-Chloropropylene [1-Propene, 1-chloro-]	590-21-6	10,000	g
Cyanogen [Ethanedinitrile]	460-19-5	10,000	f
Cyclopropane	75-19-4	10,000	f
Dichlorosilane [Silane, dichloro-]	4109-96-0	10,000	f
Difluoroethane [Ethane, 1,1-difluoro-]	75-37-6	10,000	f
Dimethylamine [Methanamine, N-methyl-]	124-40-3	10,000	f
2,2-Dimethylpropane [Propane, 2,2-dimethyl-]	463-82-1	10,000	f
Ethane	74-84-0	10,000	f
Ethyl acetylene [1-Butyne]	107-00-6	10,000	f
Ethylamine [Ethanamine]	75-04-7	10,000	f
Ethyl chloride [Ethane, chloro-]	75-00-3	10,000	f
Ethylene [Ethene]	74-85-1	10,000	f
Ethyl ether [Ethane, 1,1'-oxybis-]	60-29-7	10,000	g
Ethyl mercaptan [Ethanethiol]	75-08-1	10,000	g
Ethyl nitrite [Nitrous acid, ethyl ester]	109-95-5	10,000	f
Hydrogen	1333-74-0	10,000	f
Isobutane [Propane, 2-methyl]	75-28-5	10,000	f
Isopentane [Butane, 2-methyl-]	78-78-4	10,000	g
Isoprene [1,3-Butadinene, 2-methyl-]	78-79-5	10,000	g
Isopropylamine [2-Propanamine]	75-31-0	10,000	g
Isopropyl chloride [Propane, 2-chloro-]	75-29-6	10,000	g
Methane	74-82-8	10,000	f
Methylamine [Methanamine]	74-89-5	10,000	f
3-Methyl-1-butene	563-45-1	10,000	f
2-Methyl-1-butene	563-46-2	10,000	g
Methyl ether [Methane, oxybis-]	115-10-6	10,000	f
Methyl formate [Formic acid, methyl ester]	107-31-3	10,000	g
2-Methylpropene [1-Propene, 2-methyl-]	115-11-7	10,000	f
1,3-Pentadinene	504-60-9	10,000	f
Pentane	109-66-0	10,000	g
1-Pentene	109-67-1	10,000	g
2-Pentene, (E)-	646-04-8	10,000	g
2-Pentene, (Z)-	627-20-3	10,000	g

Table 2. Federal Regulated Flammable Substances List ¹ and Threshold Quantities for Accidental Release Prevention

Chemical Name	CAS Numbers	Threshold quantity (lbs)	Basis for listing
Propadiene [1,2-Propadiene]	463-49-0	10,000	f
Propane	74-98-6	10,000	f
Propylene [1-Propene]	115-07-1	10,000	f
Propyne [1-Propyne]	74-99-7	10,000	f
Silane	7803-62-5	10,000	f
Tetrafluoroethylene [Ethene, tetrafluoro-]	116-14-3	10,000	f
Tetramethylsilane [Silane, tetramethyl-]	75-76-3	10,000	g
Trichlorosilane [Silane, trichloro-]	10025-78-2	10,000	g
Trifluorochloroethylene [Ethene, chlorotrifluoro-]	79-38-9	10,000	f
Trimethylamine [Methanamine, N,N-dimethyl-]	75-50-3	10,000	f
Vinyl acetylene [1-Buten-3-yne]	689-97-4	10,000	f
Vinyl chloride [Ethene, chloro-]	75-01-4	10,000	a,f
Vinyl ethyl ether [Ethene, ethoxy-]	109-92-2	10,000	g
Vinyl fluoride [Ethene, fluoro-]	75-02-5	10,000	f
Vinylidene chloride [Ethene, 1,1-dichloro-]	75-35-4	10,000	g
Vinylidene fluoride [Ethene, 1,1-difluoro-]	75-38-7	10,000	f
Vinyl methyl ether [Ethene, methoxy-]	107-25-5	10,000	f

¹ A flammable substance when used as a fuel or held for sale as a fuel at a retail facility is excluded from all provisions of this chapter (see Section 2770.4.1).

Note - Basis for Listing:

- a Mandated for listing by Congress.
- f Flammable gas.
- g Volatile flammable liquid.

Table 3. State Regulated Substances List and Threshold Quantities for Accidental Release Prevention

Chemical Name	Also on Table 1 ¹	CAS Number	State Threshold Quantity (lbs)
Acetone Cyanohydrin ²	no	75-86-5	1,000
Acetone Thiosemicarbazide	no	1752-30-3	1,000/10,000 3
Acrolein	yes	107-02-8	500
Acrylamide	no	79-06-1	1,000/10,000 3
Acrylonitrile	yes	107-13-1	10,000
Acrylyl Chloride	yes	814-68-6	100
Aldicarb	no	116-06-3	100/10,000
Aldrin	no	309-00-2	500/10,000 3
Allyl Alcohol	yes	107-18-6	1,000
Allylamine	yes	107-11-9	500
Aluminum Phosphide 4	no	20859-73-8	500
Aminopterin	no	54-62-6	500/10,000 3
Amiton Oxalate	no	3734-97-2	100/10,000 3
Ammonia ⁵	yes	7664-41-7	500
Aniline 2	no	62-53-3	1,000
Antimycin A	no	1397-94-0	1,000/10,000 3
ANTU	no	86-88-4	500/10,000 3
Arsenic Pentoxide	no	1303-28-2	100/10,000 3
Arsenous Oxide	no	1327-53-3	100/10,000 3
Arsenous Trichloride	yes	7784-34-1	500
Arsine	yes	7784-42-1	100
Azinphos-Ethyl	no	2642-71-9	100/10,000 3
Azinphos-Methyl	no	86-50-0	10/10,000 3
Benzene, 1-(Chloromethyl)-4-Nitro-	no	100-14-1	500/10,000 3
Benzenearsonic Acid	no	98-05-5	10/10,000 3
Benzimidazole, 4,5-Dichloro-2-(Trifluoromethyl)-	no	3615-21-2	500/10,000 3
Benzotrichloride ²	no	98-07-7	100
Bicyclo[2.2.1] Heptane-2-Carbonitrile, 5-Chloro- 6-((((Methylamino)	no	15271-41-7	500/10,000 3
Carbonyl)Oxy)Imino)-, (1s-(1-alpha, 2-beta, 4-alpha, 5-alpha, 6E))			
Bis(Chloromethyl) Ketone	no	534-07-6	10/10,000 3
Bitoscanate	no	4044-65-9	500/10,000 3
Boron Trichloride	yes	10294-34-5	500
Boron Trifluoride	yes	7637-07-2	500
Boron Trifluoride Compound w/ Methyl Ether (1:1)	yes	353-42-4	1,000
Bromadiolone	no	28772-56-7	100/10,000
Bromine	yes	7726-95-6	500
Cadmium Oxide	no	1306-19-0	100/10,000 3
Cadmium Stearate	no	2223-93-0	1,000/10,000 3
Calcium Arsenate	no	7778-44-1	500/10,000 3
Camphechlor	no	8001-35-2	500/10,000 ³
Cantharidin	no	56-25-7	100/10,000 3

Table 3. State Regulated Substances List and Threshold Quantities for Accidental Release Prevention

Chemical Name	Also on Table 1 ¹	CAS Number	State Threshold Quantity (lbs)
Carbachol Chloride	no	51-83-2	500/10,000 3
Carbamic Acid, Methyl-,o-(((2,4-Dimethyl-1, 3-Dithiolan-2-yl)Methylene) Amino)	no	26419-73-8	100/10,000 3
Carbofuran	no	1563-66-2	10/10,000 3
Carbon Disulfide	yes	75-15-0	10,000
Chlorine	yes	7782-50-5	100
Chlormequat Chloride	no	999-81-5	100/10,000 3
Chloroacetic Acid	no	79-11-8	100/10,000 3
Chloroform	yes	67-66-3	10,000
Chloromethyl Ether	yes	542-88-1	100
Chloromethyl Methyl Ether	yes	107-30-2	100
Chlorophacinone	no	3691-35-8	100/10,000
Chloroxuron	no	1982-47-4	500/10,000
Chromic Chloride	no	10025-73-7	1/10,000 3
Cobalt Carbonyl	no	10210-68-1	10/10,000 3
Cobalt, ((2,2'-(1,2-Ethanediylbis (Nitrilomethylidyne))	no	62207-76-5	100/10,000 3
Bis(6-Fluorophenolato))(2-)-N,N',O,O')			100/10,000
Colchicine	no	64-86-8	10/10,000 3
Coumaphos	no	56-72-4	100/10,000 3
Coumatetralyl	no	5836-29-3	500/10,000 3
Cresol, o-	no	95-48-7	1,000/10,000 3
Crimidine	no	535-89-7	100/10,000 3
Crotonaldehyde	yes	4170-30-3	1,000
Crotonaldehyde, (E)-	yes	123-73-9	1,000
Cyanogen Bromide	no	506-68-3	500/10,000 3
Cyanogen Iodide	no	506-78-5	1,000/10,000 3
Cyanuric Fluoride	no	675-14-9	100
Cycloheximide	no	66-81-9	100/10,000 3
Cyclohexylamine	yes	108-91-8	10,000
Decaborane(14)	no	17702-41-9	500/10,000 3
Dialifor	no	10311-84-9	100/10,000 3
Diborane	yes	19287-45-7	100
Diepoxybutane ²	no	1464-53-5	500
Digitoxin	no	71-63-6	100/10,000 3
Digoxin	no	20830-75-5	10/10,000 3
Dimethoate	no	60-51-5	500/10,000 3
Dimethyldichlorosilane	yes	75-78-5	500
Dimethylhydrazine	yes	57-14-7	1,000
Dimethyl-p-Phenylenediamine	no	99-98-9	10/10,000 3
Dimethyl Sulfate ²	no	77-78-1	500
Dimetilan	no	644-64-4	500/10,000 3

Table 3. State Regulated Substances List and Threshold Quantities for Accidental Release Prevention

Chemical Name	Also on Table 1 ¹	CAS Number	State Threshold Quantity (lbs)
Dinitrocresol	no	534-52-1	10/10,000 3
Dinoseb	no	88-85-7	100/10,000 3
Dinoterb	no	1420-07-1	500/10,000 3
Diphacinone	no	82-66-6	
1	no	298-04-4	10/10,000 3
Disulfoton ² Dithiazanine Iodide			
	no	514-73-8	500/10,000 3
Dithiobiuret	no	541-53-7	100/10,000
Emetine, Dihydrochloride	no	316-42-7	1/10,000 3
Endosulfan	no	115-29-7	10/10,000 3
Endothion	no	2778-04-3	500/10,000 3
Endrin	no	72-20-8	500/10,000 3
Epichlorohydrin	yes	106-89-8	1,000
EPN	no	2104-64-5	100/10,000 3
Ergocalciferol	no	50-14-6	1,000/10,000
Ergotamine Tartrate	no	379-79-3	500/10,000
Ethylenediamine	yes	107-15-3	10,000
Ethylene Fluorohydrin	no	371-62-0	10,000
Ethyleneimine Ethyleneimine	yes	151-56-4	500
Ethylene Oxide	yes	75-21-8	1,000
Fenamiphos	no	22224-92-6	10/10,000 3
Fluenetil	no	4301-50-2	100/10,000 3
Fluorine	yes	7782-41-4	500
Fluoroacetamide	no	640-19-7	100/10,000 3
Fluoroacetic Acid	no	144-49-0	10/10,000 3
Fluoroacetyl Chloride	no	359-06-8	10
Fluorouracil	no	51-21-8	500/10,000 3
Formaldehyde ⁵	yes	50-00-0	500
Formetanate Hydrochloride	no	23422-53-9	500/10,000 3
Formparanate	no	17702-57-7	100/10,000
Fuberidazole	no	3878-19-1	100/10,000
Furan	yes	110-00-9	500
Gallium Trichloride	no	13450-90-3	500/10,000 3
Hydrazine		302-01-2	1,000
Hydrocyanic Acid	yes yes	74-90-8	100
Hydrogen Chloride (gas only)	yes	7647-01-0	500
Hydrogen Fluoride Hydrogen Fluoride	yes	7664-39-3	100
Hydrogen Selenide	yes	7783-07-5	10
Hydrogen Sulfide	yes	7783-06-4	500
Hydroquinone ⁶	no	123-31-9	500/10,000 3
Iron, Pentacarbonyl-	yes	13463-40-6	100
Isobenzan	no	297-78-9	100/10,000 3
Isobutyronitrile	yes	78-82-0	1,000

Table 3. State Regulated Substances List and Threshold Quantities for Accidental Release Prevention

Chemical Name	Also on Table 1 ¹	CAS Number	State Threshold Quantity (lbs)
Isocyanic Acid, 3,4-Dichlorophenyl Ester	no	102-36-3	500/10,000
Isodrin	no	465-73-6	100/10,000 3
Isophorone Diisocyanate	no	4098-71-9	100
Isopropyl Chloroformate	yes	108-23-6	1,000
Leptophos	no	21609-90-5	500/10,000 3
Lewisite ²	no	541-25-3	10
Lindane	no	58-89-9	1,000/10,000 3
Lithium Hydride ⁴	no	7580-67-8	100
Malononitrile	no	109-77-3	500/10,000 3
Manganese, Tricarbonyl Methylcyclopentadienyl ²	no	12108-13-3	100
Mechlorethamine ²	no	51-75-2	10
Mercuric Acetate	no	1600-27-7	500/10,000 3
Mercuric Chloride	no	7487-94-7	500/10,000 3
Mercuric Oxide	no	21908-53-2	500/10,000 3
Methacrylonitrile	yes	126-98-7	500
Methacryloyl Chloride	no	920-46-7	100
Methacryloyloxyethyl Isocyanate	no	30674-80-7	100
Methamidophos	no	10265-92-6	100/10,000 3
Methanesulfonyl Fluoride	no	558-25-8	1,000
Methidathion	no	950-37-8	500/10,000 3
Methiocarb	no	2032-65-7	500/10,000 3
Methomyl	no	16752-77-5	500/10,000 3
Methoxyethylmercuric Acetate	no	151-38-2	500/10,000 3
Methyl Bromide	no	74-83-9	1,000
Methyl 2-Chloroacrylate	no	80-63-7	500
Methyl Chloroformate	yes	79-22-1	500
Methyl Hydrazine	yes	60-34-4	500
Methyl Isocyanate	yes	624-83-9	500
Methyl Isothiocyanate ⁴	no	556-61-6	500
Methyl Mercaptan	yes	74-93-1	500
Methylmercuric Dicyanamide	no	502-39-6	500/10,000 3
Methyl Phosphonic Dichloride 4	no	676-97-1	100
Methyl Thiocyanate	yes	556-64-9	10,000
Methyltrichlorosilane	yes	75-79-6	500
Methyl Vinyl Ketone	no	78-94-4	10
Metolcarb	no	1129-41-5	100/10,000
Mexacarbate	no	315-18-4	500/10,000 3
Mitomycin C	no	50-07-7	500/10,000 3
Monocrotophos	no	6923-22-4	10/10,000 3
Muscimol	no	2763-96-4	500/10,000 3
Mustard Gas ²	no	505-60-2	500
Nickel Carbonyl	yes	13463-39-3	1

Table 3. State Regulated Substances List and Threshold Quantities for Accidental Release Prevention

Chemical Name	Also on Table 1 ¹	CAS Number	State Threshold Quantity (lbs)
Nicotine Sulfate	no	65-30-5	100/10,000 3
Nitric Acid	yes	7697-37-2	1,000
Nitric Oxide	yes	10102-43-9	100
Nitrobenzene ²	no	98-95-3	10,000
Nitrogen Dioxide	no	10102-44-0	100
Norbormide	no	991-42-4	100/10,000
Organorhodium Complex (PMN-82-147)	no	MIXTURE	10/10,000 3
Ouabain	no	630-60-4	100/10,000 3
Oxamyl	no	23135-22-0	100/10,000 3
Ozone	no	10028-15-6	100
Paraquat Dichloride	no	1910-42-5	10/10,000 3
Paraquat Methosulfate	no	2074-50-2	10/10,000 3
Parathion-Methyl	no	298-00-0	100/10,000 3
Paris Green	no	12002-03-8	500/10,000 3
Pentaborane	no	19624-22-7	500
Pentadecylamine	no	2570-26-5	100/10,000 3
Peracetic Acid	yes	79-21-0	500
Perchloromethylmercaptan	yes	594-42-3	500
Phenol	no	108-95-2	500/10,000 3
Phenol, 2,2'-Thiobis(4-Chloro-6-Methyl)-	no	4418-66-0	100/10,000 3
Phenol, 3-(1-Methylethyl)-, Methylcarbamate	no	64-00-6	500/10,000 3
Phenoxarsine, 10,10'-Oxydi-	no	58-36-6	500/10,000 3
Phenyl Dichloroarsine ²	no	696-28-6	500
Phenylhydrazine Hydrochloride	no	59-88-1	1,000/10,000 3
Phenylmercury Acetate	no	62-38-4	500/10,000 3
Phenylsilatrane	no	2097-19-0	100/10,000 3
Phenylthiourea	no	103-85-5	100/10,000 3
Phorate ²	no	298-02-2	10
Phosacetim	no	4104-14-7	100/10,000 3
Phosfolan	no	947-02-4	100/10,000
Phosgene	yes	75-44-5	100/10,000
Phosmet	no	732-11-6	10/10,000 3
Phosphine	yes	7803-51-2	500
Phosphonothioic Acid, Methyl-, S-(2-(Bis(1-Methylethyl)Amino)Ethyl) O-	no	50782-69-9	100
Ethyl Ester. ²			
Phosphorus ⁴	no	7723-14-0	100
Phosphorus Oxychloride	yes	10025-87-3	500
Phosphorus Pentachloride 4	no	10026-13-8	500
Phosphorus Trichloride	yes	7719-12-2	1,000
Physostigmine	no	57-47-6	100/10,000 3
Physostigmine, Salicylate (1:1)	no	57-64-7	100/10,000 3

Table 3. State Regulated Substances List and Threshold Quantities for Accidental Release Prevention

Chemical Name	Also on Table 1 ¹	CAS Number	State Threshold Quantity (lbs)
Picrotoxin	no	124-87-8	500/10,000 3
Piperidine	yes	110-89-4	1,000
Potassium Arsenite	no	10124-50-2	500/10,000 3
Potassium Cyanide 4	no	151-50-8	100
Potassium Silver Cyanide 4	no	506-61-6	500
Promecarb	no	2631-37-0	500/10,000 3
Propargyl Bromide	no	106-96-7	10
Propiolactone, Beta- ²	no	57-57-8	500
Propionitrile	yes	107-12-0	500
Propiophenone, 4-Amino-	no	70-69-9	100/10,000 3
Propyl Chloroformate	yes	109-61-5	500
Propylene Oxide	yes	75-56-9	10,000
Propyleneimine	yes	75-55-8	10,000
Prothoate	no	2275-18-5	100/10,000 3
Pyrene	no	129-00-0	1,000/10,000 3
Pyridine, 4-Amino-	no	504-24-5	500/10,000 3
Pyridine, 4-Nitro-, 1-Oxide	no	1124-33-0	500/10,000 3
Pyriminil	no	53558-25-1	100/10,000 3
Salcomine	no	14167-18-1	500/10,000 3
Sarin ²	no	107-44-8	10
Selenious Acid	no	7783-00-8	1,000/10,000 3
Semicarbazide Hydrochloride	no	563-41-7	1,000/10,000 3
Sodium Arsenate	no	7631-89-2	1,000/10,000 3
Sodium Arsenite	no	7784-46-5	500/10,000 3
Sodium Azide (Na (N3)) ⁴	no	26628-22-8	500
Sodium Cacodylate	no	124-65-2	100/10,000 3
Sodium Cyanide (Na (CN)) 4	no	143-33-9	100
Sodium Fluoroacetate	no	62-74-8	10/10,000 3
Sodium Selenate	no	13410-01-0	100/10,000 3
Sodium Selenite	no	10102-18-8	100/10,000 3
Sodium Tellurite	no	10102-20-2	500/10,000 3
Stannane, Acetoxytriphenyl-	no	900-95-8	500/10,000 3
Strychnine	no	57-24-9	100/10,000 3
Strychnine Sulfate	no	60-41-3	100/10,000 3
Sulfur Dioxide	yes	7446-09-5	500
Sulfuric Acid ⁷	no	7664-93-9	1,000
Sulfur Tetrafluoride	yes	7783-60-0	100
Sulfur Trioxide ⁴	yes	7446-11-9	100
Tabun ²	no	77-81-6	10
Tellurium Hexafluoride	no	7783-80-4	100

Table 3. State Regulated Substances List and Threshold Quantities for Accidental Release Prevention

Chemical Name	Also on Table 1 ¹	CAS Number	State Threshold Quantity (lbs)
Tetramethyllead	yes	75-74-1	100
Tetranitromethane	yes	509-14-8	500
Thallium Sulfate	no	10031-59-1	100/10,000 3
Thallous Carbonate	no	6533-73-9	100/10,000 3
Thallous Chloride	no	7791-12-0	100/10,000 3
Thallous Malonate	no	2757-18-8	100/10,000 3
Thallous Sulfate	no	7446-18-6	100/10,000 3
Thiocarbazide	no	2231-57-4	1,000/10,000 3
Thiofanox	no	39196-18-4	100/10,000 3
Thiosemicarbazide	no	79-19-6	100/10,000 3
Thiourea, (2-Chlorophenyl)-	no	5344-82-1	100/10,000 3
Thiourea, (2-Methylphenyl)-	no	614-78-8	500/10,000 3
Titanium Tetrachloride	yes	7550-45-0	100
Toluene-2,4-Diisocyanate 8	yes	584-84-9	500
Toluene-2,6-Diisocyanate 8	yes	91-08-7	100
Triamiphos	no	1031-47-6	500/10,000 3
Trichloro(Chloromethyl)Silane	no	1558-25-4	100
Trichloro(Dichlorophenyl)Silane	no	27137-85-5	500
Triethoxysilane	no	998-30-1	500
Trimethylchlorosilane	yes	75-77-4	1,000
Trimethylolpropane Phosphite	no	824-11-3	100/10,000 3
Trimethyltin Chloride	no	1066-45-1	500/10,000 3
Triphenyltin Chloride	no	639-58-7	500/10,000 3
Tris(2-Chloroethyl)Amine ²	no	555-77-1	100
Valinomycin	no	2001-95-8	1,000/10,000 3
Vanadium Pentoxide	no	1314-62-1	100/10,000 3
Vinyl Acetate Monomer	yes	108-05-4	1,000
Warfarin	no	81-81-2	500/10,000 3
Warfarin Sodium	no	129-06-6	100/10,000 3
Xylylene Dichloride	no	28347-13-9	100/10,000 3
Zinc, Dichloro(4,4-Dimethyl-5((((Methylamino) Carbonyl)Oxy)Imino) Pentanenitrile)-, (T-4)	no	58270-08-9	100/10,000 3
Zinc Phosphide ⁴	no	1314-84-7	500

¹ This column identifies substances which may appear on Table 1. Table 1 may have concentration limitations.

- 2 Substances that failed the evaluation pursuant to Section 25532(g)(2) of the HSC but remain listed pursuant to potential health impacts. The exemption in Section 2770.2(b)(1)(B) regarding portions of a process where these regulated substances are handled at partial pressures below 10 mm Hg does not apply to these substances.
- These extremely hazardous substances are solids. The lesser quantity listed applies only if in powdered form and with a particle size of less than 100 microns; or if handled in solution or in molten form; or the substance has an NFPA rating for reactivity of 2, 3, or 4. Otherwise, a 10,000 pound threshold applies. The exemption in Section 2770.2(b)(1)(B) regarding portions of a process where these regulated substances are handled at partial pressures below 10 mm Hg does not apply to these substances.

Table 3. State Regulated Substances List and Threshold Quantities for Accidental Release Prevention

- 4 These extremely hazardous substances are reactive solids. The exemption in Section 2770.2(b)(1)(B) regarding portions of a process where these regulated substances are handled at partial pressures below 10 mm Hg does not apply to these substances.
- 5 Appropriate synonyms or mixtures of extremely hazardous substances with the same CAS number are also regulated, e.g., formalin. The listing of ammonia includes anhydrous and aqueous forms of ammonia pursuant to Section 25532(g)(2).
- 6 Hydroquinone is exempt in crystalline form.
- 7 Sulfuric acid fails the evaluation pursuant to Section 25532(g)(2) of the HSC but remains listed as a Regulated Substance only under the following conditions:
 - a. If concentrated with greater than 100 pounds of sulfur trioxide or the acid meets the definition of oleum. (The Table 3 threshold for sulfur trioxide is 100 pounds.) (The Table 1 threshold for oleum is 10,000 pounds.)
 - b. If in a container with flammable hydrocarbons (flash point $< 73^{\circ}$ F).
- 8 The exemption in Section 2770.2(b)(1)(B) regarding portions of a process where these regulated substances are handled at partial pressures below 10 mm Hg does not apply to these substances.