



ORANGE COUNTY FIRE AUTHORITY

P.O. Box 57115, Irvine, CA 92619-7115 • 1 Fire Authority Road, Irvine, CA 92602

Brian Fennessy, Fire Chief

(714) 573-6000

www.ocfa.org

October 9, 2020

Orange County Fire Authority
Shelley Hasselbrink, Chair
1 Fire Authority Road
Irvine, California 92602

Subject: **Final Report on the Placentia Transition**

Dear Chair Hasselbrink and OCFA Board of Directors:

I have reviewed the final report on the Placentia transition that Mayor Ward Smith sent dated September 24, 2020. There are several details included in Placentia's final report which are characterized inaccurately, and which I believe are very important to correct.

In their Final Report, Placentia alleged OCFA and other neighboring fire departments have decided to *purposely bypass* Placentia on aid requests. Nothing could be further from the truth. In fact, OCFA CAD data (attached) represents the occasions that OCFA has requested Placentia resources. In many of the cases, the Placentia unit being requested never acknowledged the response or, when they did, it was many minutes past the national standard. Even though a Placentia unit was closest and was requested, an OCFA unit arrived at scene first and canceled the mutual aid request for Placentia's assistance, often before a Placentia unit began its response. Rest assured, if there are emergencies that OCFA believes Placentia is closest and will make a difference, they will continue to be requested. Based on the data I have reviewed, and the reality that the nearest appropriate resources are regularly being requested by OCFA and other neighboring agencies, Placentia's claims of "liability issues" miss the mark.

In regard to Placentia's September 16, 2-alarm commercial/apartment structure fire referenced in the Final Report, my staff and personnel from neighboring agencies who responded have shared details with me related to this incident. I have attached the after-action-report (AAR) that was completed and that included the Placentia Fire Incident Commander and other Placentia Chief and Company Fire Officers. The AAR identifies many safety and operational problems, all of which were shared with the Placentia Fire Chief at the September 17 monthly Orange County Fire Chiefs Association meeting and with the on-scene Placentia Battalion Chief who served as the incident commander before he left this incident.

Serving the Cities of: Aliso Viejo • Buena Park • Cypress • Dana Point • Garden Grove • Irvine • Laguna Hills • Laguna Niguel • Laguna Woods
Lake Forest • La Palma • Los Alamitos • Mission Viejo • Rancho Santa Margarita • San Clemente • San Juan Capistrano • Santa Ana
Seal Beach • Stanton • Tustin • Villa Park • Westminster • Yorba Linda • and Unincorporated Areas of Orange County

RESIDENTIAL SPRINKLERS AND SMOKE ALARMS SAVE LIVES

October 9, 2020

Page Two


Based on the attached and verbal feedback given to the Placentia Fire Chief and Incident Commander, we and the members of the Orange County Fire Chiefs Association believe it would be prudent for the Placentia Fire Chief, City Administrator, and City Council to review the dispatch recordings and confer with the other dispatch agencies for their own independent review of this incident and Placentia's response. Prior to the other assisting agencies arrival at scene, the Placentia Incident Commander (IC) declared the building an entire loss and ordered the fire be fought defensively. Upon arrival at scene, the other agencies quickly determined that the fire could be easily suppressed without loss of the entire building, which is ultimately what occurred.

The disparate number of resources that Placentia referenced by comparing an OCFA response to a 2-alarm fire with Placentia's response to this 2-alarm fire was because Placentia's IC failed to request the correct and necessary units for appropriate assistance – it was not a positive indicator of Placentia's efficiency as presented in the Final Report. The chief officers from the agencies that responded to this 2-alarm fire coached the Placentia IC and Fire Chief through the incident until the fire was quickly extinguished.

As a result of ongoing firefighter and citizen safety concerns, OCFA and the other fire agencies in Orange County have attempted to meet and train with Placentia's firefighters for many months. All attempts have been denied. I've attached documentation of these attempts and many concerns by the operations chiefs of the other fire agencies in Orange County.

I am hopeful that in the future Placentia will focus more on the challenges that exist within their own agency and discontinue sending letters that contain baseless allegations and innuendo to our OCFA Board of Directors. As your Fire Chief, I and our firefighters are dealing with the most intense wildland fire season in history and at the same time having to manage this agency through a worldwide pandemic.

Sincerely,



Brian Fennessy
Fire Chief

Attachments

cc Placentia City Council
OCFA City Managers Technical Advisory Committee
Orange County Emergency Medical Care Committee

Serving the Cities of: Aliso Viejo • Buena Park • Cypress • Dana Point • Garden Grove • Irvine • Laguna Hills • Laguna Niguel • Laguna Woods
Lake Forest • La Palma • Los Alamitos • Mission Viejo • Rancho Santa Margarita • San Clemente • San Juan Capistrano • Santa Ana
Seal Beach • Stanton • Tustin • Villa Park • Westminster • Yorba Linda • and Unincorporated Areas of Orange County

RESIDENTIAL SPRINKLERS AND SMOKE ALARMS SAVE LIVES



Joint Agency Post-Incident Analysis

Prepared by Brandon Coatney
Deputy Chief – Operations, Fullerton/Brea Fire Department

Location: 712 Dunn Way, Placentia, CA 92870

Type of Incident: Commercial Structure Fire

Incident Date: 9/16/2020

Incident Commander: Placentia Battalion Chief, John Muir (PB-1)

Incident Number: Placentia #20-01025

Alarm Time: 08:42:07

Dispatch Time: 08:44:29

1st Unit On-Scene Time: 08:51:25

1st Due Unit: PE-1

1st On-Scene Unit: PE-1

Initial Response	Additional Companies	Other Support
First Alarm:	Working Assignment:	
PB-1, PE-1, PM-1, PT-2, PPAT-2, AE-5, FE-5	AT-8, FE-3, AB-1	OCFA HAZMAT, OCFA Light/Air
	Second Alarm:	
	FE-1, AE-8	

Scenario

Units were dispatched to an Industrial Strip Center with reported visible smoke and flames seen by reporting parties. While units were enroute, additional reports indicated a possible “honey-oil” production operation with additional hazardous chemicals reported also. The involved building was a 6-unit industrial strip center with fire involvement on an end unit.




Size-up

PE-1 was the first unit to arrive on scene and reported a 1-story commercial, approximately 50' X 150' with heavy smoke and fire showing from 1 unit. Stated on scene with 3 & 1 in Offensive Mode.

- No indication of water supply
- Did not declare a proper mode of operation (Investigation, Fast-Attack, Command) per OC Annex
- 2-Out was not established
- No request for a working assignment or 2nd Alarm
- Did not identify tactical Alpha side of the building
- Did not establish clear objectives or communicate Incident Priorities

Command



Strategic and Tactical Objectives

No clear objectives given by first arriving unit or Incident Commander. The expectation is that objectives are developed and clearly communicated based on Incident Priorities (Life, Incident Stabilization, and Property Conservation).



Safety

In 1998, Congress recognized the need to better address the continuing national problem of fire fighter deaths and funded the National Institute for Occupational Safety and Health to implement a fire fighter safety initiative. With fire service stakeholder input, NIOSH developed the Fire Fighter Fatality Investigation and Prevention Program. Through this program, NIOSH has identified the top 5 causes of firefighter deaths and injuries on the fireground. All 5 of these factors have been identified as a potential risk to the firefighters on this Incident.

1. **Improper Risk Assessment:** Improper Risk Assessment and failure to complete a 360 survey of the building in a timely manner. Failure to address multiple notifications of possible Hazardous Materials and develop appropriate Incident Objectives.
2. **Lack of Incident Command:** Incident Priorities and associated Incident Objectives were not adequately communicated which created confusion and conflicting strategies.
3. **Lack of Accountability:** Accountability for Placentia Units is confusing based on the use of Reserve Firefighters and their ability to enter IDLH. Personnel on the Patrol were not included in the accountability for PT-2.
4. **Inadequate Communications:** Communications on the fireground need to be clear and concise. As stated above, Incident Objectives were not clearly communicated or understood by some units on the fireground. Hazards were communicated, but corrective actions were not taken in a timely manner to address these issues.
5. **Lack of SOPs or failure to follow established SOPs:** There are multiple examples that demonstrate a failure to follow OC Annex Policies and Procedures.
 - First-in company did not declare an appropriate Mode of Operation
 - 2-in/2-out was not established by first-in company or the Incident Commander. RIC was not established until 20 minutes into the incident.
 - The IC announced Defensive Operations twice on this incident but did not follow the established procedure for Emergency Evacuation or conduct a PAR.
 - Placentia Dispatch did not request the appropriate resources on the second alarm.



Rehab

- IC did not follow the Annex Plan on Rehab
- Initially, Rehab was assigned to Private Paramedics.
- The IC should have considered the size of the incident and excessive heat and considered additional alarms.

Analysis and Conclusions

- Violation of the NIOSH 5
- First-in unit (PE-1) created a major operational challenge by blocking access to the building with their supply-line
- Building Divisions were set up in a manner not common for this type of building resulting in confusion on the fireground
- Recognition of HAZMAT and request for appropriate HAZMAT resources came late
- Life priorities were not effectively communicated. Primary and Secondary searches or evacuation of the entire building.
- Objectives were not clear which led to confusion and conflicting strategies
- IC needs to obtain frequent updates and ensure that incident objectives are being met. The IC needs to have a plan for potential problems and not be reactionary.
- The IC did not recognize the current fire problem and how to strategically mitigate the incident.
- Recognize the need for additional resources early
- Follow established Policies and Procedures for the County.
- Overall lack of clear/concise direction



Commercial Structure Fire
712 Dunn Way
Placentia, CA

Objectives

- Discuss command and control of the incident
- Discuss resources: Timing and amount
- Discuss dispatch procedures
- Discuss overall strategy and tactics for this type of incident


Chronological Order of Events

*Times are not official. No incident notes from Placentia Dispatch available

- First Alarm: PB-1, PM-1, PE-1, PT-2, Patrol 2, AE-5, FE-5
- 0:00 - Dispatch
- 0:27 - Dispatch advised all responding units possible Isopropyl Alcohol used at business
- 1:06 - PM-1 on scene. No additional information given

- 1:15 - PE-1 arrived on scene. Reported 1 story commercial approximately 50'X150', heavy fire and smoke showing from 1 unit, on-scene with 3 & 1, Offensive Mode
 - Did not indicate Fast Attack or Command Mode
 - No indications of what actions were initiated
 - Size of initial attack lines??
 - No clear indication if 2-out was established
 - Did not call for a working assignment or more appropriately, balance to a second alarm for this size building
- 1:50 - PB-1 called for a working assignment and asked for an alternate TAC
 - Not sure if a secondary TAC was ever given from dispatch??

- 2:19 - PE-1 advised possible butane honey oil lab
 - Still no request for HAZMAT
- 2:45 - PB-1 on scene
 - Stated single story warehouse, did not indicate industrial strip
 - Established IC
 - Assigned PE-1 Div Bravo
 - No clear objectives given
- 4:08 - AE-5 on scene, assigned to work for DIV Bravo
- 4:55 - IC advised PE-1 they were now assigned Div Alpha



- 5:18 - PE-1 reported all occupants out
 - Did this mean out of the unit involved, entire building???
- 5:45 - PT-2 reported on scene with 4
 - Is there a reserve? Is the Patrol included in this?
 - Assigned Vent. Group
 - Stated they could not make access because of supply and had to reposition
- 6:28 - FE-5 reported on scene with 4
 - Assigned to check Bravo and Charlie side of building for extension
 - Never officially assigned as Div Charlie

At this point, all units from the first alarm have been assigned and there is still not a request for a 2nd alarm

- 7:05 - PB-1 reported Liquid Nitrogen
 - Still no request for HAZMAT
- 7:18 - Div Alpha acknowledged Liquid Nitrogen
- 7:37 - AB-1 arrived on scene
 - Face-to-face, eventually assigned Div Alpha
- 8:35 - AT-8 arrived on scene
 - Told to report to Vent. Group (PT-2)
 - At this time PT-2 was attempting to reposition their truck because they would not drive over the supply line established by PE-1

- 8:48 - AT-8 advised fire through the roof
 - Vent. Group (PT-2) advised AT-8 they were in a good position for a water tower operation
 - Conflicting strategy based incident operations and directives at this point. This building is a commercial strip with fire on one end. There are five other businesses/units in this building.
 - Vent. Group (PT-2) is still concerned with repositioning their truck for a water tower operation and not ventilation.
- 9:20 - Vent. Group (PT-2) advised they needed a supply line for water tower operations



- 10:00 - Vent. Group/AT-8 are indicating defensive operations
 - Failure of IC to recognize this is not consistent with the objectives that he has established
- 10:30 - AT-8 directed by Vent. Group to the roof for ventilation
 - Still no communication from IC with that building is a strip center and appropriate objectives/strategy for ventilation operation
- Still no direction to protect uninvolved building units
- Still no request for a second alarm
- Still no request for HAZMAT
- Still confusion on Division locations
- Still no RIC established


- 11:22 - FE-5 advised they have hoselines on the involved unit from the Charlie side of the building
 - No Div. Charlie established
- 11:40 - PB-1 announced "We are going defensive. All units pull out"
 - There was not follow-up after this announcement
 - Not sure what the exact intent of this announcement was. Are we pulling out of the unit involved only? The entire building?
 - None of this announcement was ever followed through on. The incident just proceeded on as if it never happened. No Emergency Evacuation. No PAR.

- 11:55 - AB-1 redirected operations that ultimately resulted in the stop of the horizontal spread of the fire.
 - AB-1 directed operations into the Delta exposures and to perform primary and secondary search and confine the fire to the unit origin.
 - IC had not even addressed the 5 exposed units at this point in the incident
- 12:22 - AT-8 went to the roof to perform the Trench Operation in coordination with Div Alpha
 - Vent. Group (PT-2) was still attempting to set up a ladder pipe operation and requesting a water source. IC advises PT-2 that they are supposed to be running the ventilation operation on the roof

- 12:40 - All of the working assignment units are on scene at this point of the incident. AB-1, AT-8, FE-1
- Still no request for a second alarm
- Still no RIC
- Still no request for a HAZMAT response
- Still has not established a Div Delta. Div Alpha is handling the entire operation of Div Alpha, as well as protecting the Delta side of the building and coordinating the operations with AT-8



- 13:25 - IC assigns AT-8 Roof Division
 - Roof Division requests another Tuck Company
 - IC still has PT-2 assigned as Vent. Group. PT-2 is still setting up their ladder pipe operation at this point.
 - IC repeatedly goes back and forth between unit designators and Div/ Group names.
- 14:06 - Good Coordination between Div Alpha and Roof Division for trench cut and supporting hoselines on Delta exposure.



- 15:00 - 2nd Alarm finally requested
- 16:15 - Request for SCE from Div Alpha for overhead power line concerns
- 16:34 - IC requested emergency warbles after hearing an “explosion”
 - Medical Tones first then warbles
 - IC finally gives direction to pull units out of the involved unit
 - Div Alpha confirmed the order but units operating on the Charlie side of the building never did. Still no Div. Charlie established
- 18:54 - Safety (FB-1) requested SCE and asked if RIC had been established

- 19:33 - Div Alpha advises IC that they can handle Delta Exposure
 - IC should have assigned resources and established a Div Delta earlier
 - Heads operations and situational awareness by Div Alpha prevented spread to the rest of the building
- 20:11 - IC finally requests a HAZMAT response
- 20:25 - RIC is finally established. FE-3 assigned as RIC.
- 22:10 - Div Alpha reports on progress of the fire and clearly states that they are defensive on Div Alpha and offensive on Div Delta.
 - Advises of an all clear on the Primary Search on Div Delta. Unknown if those objectives were given by IC or if Div Alpha self initiated.

- 24:40 - Safety asks IC if utilities have been controlled to the building.
 - No order had been given previously to control utilities
- 25:40 - Still confusion over who is running the ventilation operation on the roof.
 - Not common to have Roof Division and Ventilation working on the same roof.
- 26:44 - Div Alpha reports a knockdown on the fire
- 28:25 - Div Alpha provided direction to shut down hoselines to limit possible hazardous runoff. IC direction?

Overview of Concerns

- Overall lack of clear/concise direction
- IC did not recognize the current fire problem and how to strategically mitigate the incident.
- Forecasting - IC did not have a plan or the resources to deal with worsening conditions.
- Incident Priorities were not addressed in a timely manner. Life, Incident Stabilization, Property/Environment Conservation

Overview of Concerns

- Initial Engine (PE-1) never initiated Fast-Attack or Command. No clear objectives established. Unknown if 2-out??
- Clear objectives were not established by the IC
- Resource requests were not made in a timely manner
- Building Divisions were set up in a manner not common for this type of occupancy.
- PT-2 was consumed by setting up a ladder pipe operation while assigned to perform ventilation.

Overview of Concerns

- Safety concerns were continually brought up regarding the power lines on the Alpha side of the structure
- The entire Charlie side provided better access
- Units protecting the Delta exposures would have had much better access and safe operations from the Charlie side of the building.



Overview of Concerns

- Placentia Patrol 2 never went on scene. Who are they attached to and was their PAR included?
 - We need a consistent PAR from Placentia units when they arrive on scene to account for Reserves and personnel on the Patrol.
- RIC was not established until 18:54 into the incident
 - It was only requested after Safety brought it to the IC's attention
 - Unknown if a 2-out was ever established
- The entire incident was run with only Div. Alpha and Roof Division assigned
 - All remaining units were by unit designator only. Span of control?? Accountability?

Overview of Concerns

- HAZMAT recognition and request for appropriate resources was severely delayed.
 - Unclear as to why OCFA HAZMAT was requested. AHM-6 was available
 - IC and Placentia Fire Chief were not aware of what a Control One notification was.
 - No clear objectives for the HAZMAT team upon their arrival.
 - IC was concerned about runoff but ICP was located in close proximity to the flow.
- No Light/Air on second alarm assignment.

Incident Detail Report

Incident Status Closed
Incident Number 20-076712
Incident Date 7/8/2020 09:37:55

Incident Information

Incident Type: Medical-ALS
Priority: 1
Determinant:
Base Response #:
Confirmation #:
Taken By: SAMANTHAWEBB
Response Area: B2YBLPLA01
Disposition:
Cancel Reason:
Incident Status: Closed
Certification:
Longitude: 117838100
MGRS: 11SMT2251051263

Alarm Level: 1
Problem: ALS-Fall#
Agency: OCFA
Jurisdiction: DIV4
Division: DIV4
Battalion: BAT02
Response Plan: MEDICAL-ALS
Command Ch: 4C (Z24)
Primary TAC: 4E
Alternate TAC: 4O (Z24)
Delay Reason:
Latitude: 33898910
UTM: 11S 422511 3751264

Incident Location

Location Name: UROLOGICAL MEDICAL GROUP
Address: 16960 Bastanchury Rd
Apartment: F

Building:
City, State, Zip: YBL, CA 92886

County: Orange
Location Type: TARGET HAZARD
Cross Street: MERIENDA LN/PROSPECT AVE
Tow Provider Area:
Map Reference: D0733z

Call Receipt

Caller Name: 24R3
Method Received:
Caller Type:
Caller Address:
Caller City, State, Zip: ,

Call Back Phone: 714-870-5970
Caller Location:
Caller Apt/Bldg: /
Caller County:

Time Stamps

Description	Date	Time	User
Phone Pickup	7/8/2020	09:36:45	
1st Key Stroke	7/8/2020	09:36:46	
In Pending Queue	7/8/2020	09:38:01	
Call Taking Complete	7/8/2020	09:39:55	SAMANTHAWEBB
1st Unit Assigned	7/8/2020	09:38:26	
1st Unit Enroute	7/8/2020	09:39:10	
1st Unit Arrived	7/8/2020	09:45:21	
Incident Under Control			
Time Sent to Other CAD	7/8/2020	09:38:02	
Incident Closed	7/8/2020	11:03:00	Mobile1

Elapsed Times

Description	Time
Received to In Queue	00:00:06
Call Taking	00:02:00
In Queue To 1st Assign	00:00:25
Call Received to 1st Assign	00:01:41
Assigned to 1st Enroute	00:00:44.4
Enroute to 1st Arrived	00:06:10.7
Incident Duration	01:26:15

ANI/ALI Calls

No ANI/ALI Calls

Units Assigned

Unit	Assigned	Disposition	Enroute	Staged	Arrived	At Patient	Delay Avail	Complete	Odm. Enroute	Odm. Arrived	Cancel Reason
P32	7/8/2020 09:38:26		7/8/2020 09:48:15		7/8/2020 09:54:42			7/8/2020 10:03:35			
BREE3	7/8/2020 09:38:26		7/8/2020 09:39:48		7/8/2020 09:47:35			7/8/2020 09:48:21			
M10	7/8/2020 09:38:26		7/8/2020 09:39:10		7/8/2020 09:45:21			7/8/2020 11:03:00			
AMB31	7/8/2020 09:38:26							7/8/2020 09:38:31			
EMRAMB6	7/8/2020 09:38:31							7/8/2020 09:39:24			
EMR45	7/8/2020 09:39:15		7/8/2020 09:41:33					7/8/2020 10:10:06			

Personnel Assigned

Unit	Name
P32	ANTHONYMASONE (5634)
P32	BRENTFORSYTH (6155)
M10	JACKFRANCIS (6461)
M10	JOHN-EDWARDBUGAY (6355)
P32	MATTHEWCUGINI (5347)

Pre-Scheduled Information

No Pre-Scheduled Information

Special Equipment

No Special Equipment

Transports

Unit	Location/Address	Patient	Mode	Protocol	Mileage			
	City, State, Zip, Phone				Start/End/Total	Depart	Arrived	Complete
M10	HOSP-SAINT JUDE MEDICAL CENTER / 101 E VALENCIA MESA DR FUL, CA 92835		2	Transport	0.0/0.0/0.0	7/8/2020 10:03:31	7/8/2020 10:19:22	7/8/2020 11:03:00

Transport Legs

No Transport Legs

Comments

Date	Time	User	Type	Confidential	Comment
7/8/2020	09:38:03	C2C	Response		[1] [CADFUSION] Call transferred to ocmeds
7/8/2020	09:38:27	CPSERVICE	Response		[2] Closest HOSPITAL to 16960 Bastanchury Rd: 1: HOSP-PLACENTIA LINDA HOSPITAL *THHM* (1301 N ROSE) - ETA: 00:01:14 2: HOSP-KAISER HOSPITAL ANAHEIM - ETA: 00:04:40 3: HOSP-SAINT JUDE MEDICAL CENTER - ETA: 00:06:28
7/8/2020	09:38:29	C2C	Response		[3] [CADFUSION] Mutual aid request for unit BREE3 sent to metronet
7/8/2020	09:38:29	C2C1	Response		[4] [CADFUSION] MN Call #: F201900093
7/8/2020	09:38:31	C2CSERVICE1	Response		[5] resource request for unit BREE3 for incident 20-076712 has been granted
7/8/2020	09:38:33	C2C	Response		[6] [CADFUSION] Mutual aid request for unit EMRAMB6 sent to emergency
7/8/2020	09:39:16	C2C	Response		[7] [CADFUSION] EMRAMB6 unit request has been GRANTED
7/8/2020	09:39:18	7132	Response		[8] ELDERLY MALE....CON AND BREATH...LOST BALANCE IN RESTROOM/ HIT HEAD.....CALL TRANSFERED FROM 800-357-4911 INTRADO ALARM
7/8/2020	09:39:20	C2C	Response		[9] [CADFUSION] emergency has closed call EMR-20-076712
7/8/2020	09:39:39	7132	Response		[10] DOCTOR W/ PT.....STILL LOCATED IN THE RESTROOM, RP WILL DIRECT
7/8/2020	09:48:18	4128	Response		[11] M10 CANX BREE3
7/8/2020	11:03:00	C2C1	Response		[12] [CADFUSION] The Call owned by OCFA has been closed.

Address Changes

No Address Changes

Priority Changes

No Priority Changes

Transport Changes

No Transport Changes

Transport Priority Changes

No Transport Priority Changes

Alarm Level Changes

Date	Time	User	Changed to Alarm
7/8/2020	09:38:26	LAURENSTASON	Alarm

Activity Log

Date	Time	Unit	Activity	Location	Log Entry	User
7/8/2020	09:37:00		Premise History Access		Premise History Viewed	7132
7/8/2020	09:38:01		Incident in Waiting Queue			
7/8/2020	09:38:01		CAD WEB New Incident		CAD WEB New Incident Sound Activated	
7/8/2020	09:38:01		SOP Updated		Updated SOP information is available	7132
7/8/2020	09:38:01		Incident Transfer	16960 Bastanchury Rd	Incident has been has been transferred, fusion ID 5f05f6698f3823402c9c6867	C2CSERVICE1
7/8/2020	09:38:01		Waiting Pending Incident Time Warning		Waiting Pending Incident Time Warning timer expired	
7/8/2020	09:38:02		Interface		This incident 20-076712 has been sent to FATPOT\CADFUSION via the CAD2CAD Interface.	RIINT01PRODMS(S)
7/8/2020	09:38:02				Incident ACK received from Remote CAD OCF-20-076712	C2C
7/8/2020	09:38:10		Initial Assignment		The following unit(s) is (are) recommended for assignment: P32 (00:02:22),BREE3 (00:03:42),M10 (00:02:17),AMB31 (*00:01:29)	6771
7/8/2020	09:38:23		VisiCAD Recommendation		FULE5: 00:04:10, E32: 00:05:15, ANAE8: 00:06:16, BREE1: 00:06:23, FULE3: 00:06:36, FULE1: 00:07:19, ANAE9: 00:07:34, FULE4: 00:07:37, ORGE3: 00:08:13, ANAE10: 00:08:40,	6771
7/8/2020	09:38:26	P32	DISP	16960 Bastanchury Rd [UROLOGICAL MEDICAL GROUP]		6771
7/8/2020	09:38:26	BREE3	DISP	16960 Bastanchury Rd [UROLOGICAL MEDICAL GROUP]		6771
7/8/2020	09:38:26	M10	DISP	16960 Bastanchury Rd [UROLOGICAL MEDICAL GROUP]		6771
7/8/2020	09:38:26	AMB31	DISP	16960 Bastanchury Rd [UROLOGICAL MEDICAL GROUP]		6771
7/8/2020	09:38:27		Incident Timer Clear		Incident Timer Cleared	

7/8/2020	09:38:31	AMB31	AOR	16960 Bastanchury Rd [UROLOGICAL MEDICAL GROUP]		RIINT07PRODMS(
7/8/2020	09:38:31	EMRAMB6	DISP	16960 Bastanchury Rd [UROLOGICAL MEDICAL GROUP]		S
7/8/2020	09:38:39		Westnet Preannouncements Completed	16960 Bastanchury Rd	Preannouncements completed for unit(s) M10, in station(s) ORC10.	STATIONALERT
7/8/2020	09:39:10	M10	ER	16960 Bastanchury Rd, APT F [UROLOGICAL MEDICAL GROUP]	Responding From = LEMON DR\LEMON DR.	3660
7/8/2020	09:39:15	EMR45	DISP	16960 Bastanchury Rd [UROLOGICAL MEDICAL GROUP]		RIINT01PRODMS(
7/8/2020	09:39:24	EMRAMB6	AOR	16960 Bastanchury Rd [UROLOGICAL MEDICAL GROUP]		S
7/8/2020	09:39:43		Read Comment		Comment for Incident 627 was Marked as Read.	7132
7/8/2020	09:39:48	BREE3	ER	16960 Bastanchury Rd, APT F [UROLOGICAL MEDICAL GROUP]	Responding From = E STEARNS ST\WALDEN RD.	C2CSERVICE1
7/8/2020	09:39:55		UserAction		User clicked Exit/Save	7132
7/8/2020	09:40:00		Read Incident		Incident 627 was Marked as Read.	7132
7/8/2020	09:40:02		Premise History Access		Premise History Viewed	7132
7/8/2020	09:40:26		UserAction		User clicked Exit/Save	7132
7/8/2020	09:41:33	EMR45	ER	16960 Bastanchury Rd, APT F [UROLOGICAL MEDICAL GROUP]	Responding From = EMER.	4128
7/8/2020	09:45:21	M10	OS	16960 Bastanchury Rd, APT F [UROLOGICAL MEDICAL GROUP]		3660
7/8/2020	09:47:35	BREE3	OS	16960 Bastanchury Rd, APT F [UROLOGICAL MEDICAL GROUP]		4128
7/8/2020	09:48:15	P32	ER	16960 Bastanchury Rd, APT F [UROLOGICAL MEDICAL GROUP]	Responding From = LEMON DR\FIRE STATION DRIVEWAY.	3687
7/8/2020	09:48:21	BREE3	AOR	16960 Bastanchury Rd, APT F [UROLOGICAL MEDICAL GROUP]	Unit Cleared From Incident 20-076712	4128
7/8/2020	09:54:42	P32	OS	16960 Bastanchury Rd, APT F [UROLOGICAL MEDICAL GROUP]		3687
7/8/2020	10:03:31	M10	ERH	101 E VALENCIA MESA DR [HOSP-SAINT JUDE MEDICAL CENTER]	Transport Priority - 2; Protocol - Transport	3660

7/8/2020	10:03:35	P32	AOR	16960 Bastanchury Rd, APT F [UROLOGICAL MEDICAL GROUP]	Unit Cleared From Incident 20-076712	3687
7/8/2020	10:10:06	EMR45	AOR	16960 Bastanchury Rd, APT F [UROLOGICAL MEDICAL GROUP]	Unit Cleared From Incident 20-076712	4128
7/8/2020	10:19:22	M10	OSH	101 E VALENCIA MESA DR [HOSP-SAINT JUDE MEDICAL CENTER]		3660
7/8/2020	10:19:22	M10	Transport Time	101 E VALENCIA MESA DR [HOSP-SAINT JUDE MEDICAL CENTER]	Depart Scene Time: 07/08/2020 10:03:31, Arrive Destination Time: 07/08/2020 10:19:22	3660
7/8/2020	10:51:31		Read Comment		Comment for Incident 627 was Marked as Read.	7132
7/8/2020	10:51:44		UserAction		User clicked Exit/Save	7132
7/8/2020	11:03:00	M10	AOR	16960 Bastanchury Rd, APT F [UROLOGICAL MEDICAL GROUP]	Unit Cleared From Incident 20-076712	3660
7/8/2020	11:03:00	M10	Response Closed	UROLOGICAL MEDICAL GROUP	Response Disposition:	3660
8/10/2020	10:09:19		UserAction		User clicked Exit/Save	6562
8/26/2020	07:38:33		UserAction		User clicked Exit/Save	6562
10/8/2020	08:43:58		UserAction		User clicked Exit/Save	6562

Edit Log

Date	Time	Field	Changed From	Changed To	Reason	Table	Workstation	User
7/8/2020	09:36:50	Address	(Blank)	16960 E BAS	New Entry	Response_Master_Incident	FA07	7132
7/8/2020	09:36:58	Jurisdiction		DIV4	(Response Viewer)	Response_Master_Incident	FA07	7132
7/8/2020	09:36:58	Division		DIV4	(Response Viewer)	Response_Master_Incident	FA07	7132
7/8/2020	09:36:58	Battalion		BAT02	(Response Viewer)	Response_Master_Incident	FA07	7132
7/8/2020	09:36:58	Response_Area		B2YBLPLA01	(Response Viewer)	Response_Master_Incident	FA07	7132
7/8/2020	09:36:58	Command_Channel		4C (Z24)	(Response Viewer)	Response_Master_Incident	FA07	7132
7/8/2020	09:36:58	ResponsePlanType	0	0	(Response Viewer)	Response_Master_Incident	FA07	7132
7/8/2020	09:36:58	Primary_TAC_Channel		4E	(Response Viewer)	Response_Master_Incident	FA07	7132
7/8/2020	09:36:58	Alternate_TAC_Channel		4O (Z24)	(Response Viewer)	Response_Master_Incident	FA07	7132
7/8/2020	09:36:58	Address	16960 E BAS	16960 BASTANCHU RY RD	Premise Verified	Response_Master_Incident	FA07	7132
7/8/2020	09:36:58	Latitude	0	33898910	Premise	Response_Master_Incident	FA07	7132

7/8/2020	09:36:58	Longitude	0	117838100	Verified Premise Verified	Response_Master_Incident	FA07	7132
7/8/2020	09:36:59	City		YBL	Updated City	Response_Master_Incident	FA07	7132
7/8/2020	09:37:05	Apartment		F	(Response Viewer)	Response_Master_Incident	FA07	7132
7/8/2020	09:37:10	Call_Back_Phone		714-870- 5970	(Response Viewer)	Response_Master_Incident	FA07	7132
7/8/2020	09:37:55	Location_Name	EASTERN STAR PROFESSIONA L PLAZA *TH* (16960 BASTANCHURY)	UROLOGICAL MEDICAL GROUP	(Response Viewer)	Response_Master_Incident	FA07	7132
7/8/2020	09:38:01	Problem		ALS-Fall	(Response Viewer)	Response_Master_Incident	FA07	7132
7/8/2020	09:38:40	Problem	ALS-Fall	ALS-Fall#	(Response Viewer)	Response_Master_Incident	FA07	7132
7/8/2020	09:39:43	Read Comment	False	True	(Response Viewer)	Response_Master_Incident	FA07	7132
7/8/2020	09:40:00	Read Call	False	True	(Response Viewer)	Response_Master_Incident	FA07	7132
7/8/2020	10:51:31	Read Comment	False	True	(Response Viewer)	Response_Master_Incident	FA07	7132
7/8/2020	10:51:44	Caller_Name		24R3	(Response Viewer)	Response_Master_Incident	FA07	7132

Custom Time Stamps

No Custom Time Stamps

Custom Data Fields

Description	Data	User
Township & Range	T03SR09W	7132
TB/SAM:	739J3	7132
1st DUE:	ORC10	7132
ASA:	A-EMER	7132
Township & Range	T03SR09W	7132
TB/SAM:	739J3	7132
1st DUE:	ORC10	7132
ASA:	A-EMER	7132

Case Number

No Case Numbers

Attachments

No Attachments

Dispositions

No Dispositions

Supplemental Person

No Supplemental Persons

Supplemental Property

No Supplemental Property

Supplement Vehicle

No Supplemental Vehicles

Supplemental Weapon

No Supplemental Weapons

Incident Detail Report

Incident Status Closed
Incident Number 20-080367
Incident Date 7/17/2020 08:36:18

Incident Information

Incident Type: HCS-Code 3
Priority: 7
Determinant:
Base Response #:
Confirmation #:
Taken By: ASHLEYVENTURA
Response Area: B2YBLPLA01
Disposition: Default Call Disposition
Cancel Reason:
Incident Status: Closed
Certification:
Longitude: 117836270
MGRS: 11SMT2267050062

Alarm Level: 1
Problem: Arcing Wires
Agency: OCFA
Jurisdiction: DIV4
Division: DIV4
Battalion: BAT02
Response Plan: HCS-CODE 3
Command Ch: 4C (Z24)
Primary TAC: 4E
Alternate TAC: 4O (Z24)
Delay Reason:
Latitude: 33888088
UTM: 11S 422670 3750062

Incident Location

Location Name:
Address: 17051 Hillwood Dr
Apartment:

Building:
City, State, Zip: YBL, CA 92886

County: Orange
Location Type:
Cross Street: N JEFFERSON ST/Dead End
Tow Provider Area:
Map Reference: D0934w

Call Receipt

Caller Name:
Method Received:
Caller Type:
Caller Address:
Caller City, State, Zip: ,

Call Back Phone: (209) 896-6884
Caller Location:
Caller Apt/Bldg: /
Caller County:

Time Stamps

Description	Date	Time	User
Phone Pickup	7/17/2020	08:35:54	
1st Key Stroke	7/17/2020	08:35:54	
In Pending Queue	7/17/2020	08:36:23	
Call Taking Complete	7/17/2020	08:39:44	ASHLEYVENTURA
1st Unit Assigned	7/17/2020	08:36:40	
1st Unit Enroute	7/17/2020	08:38:48	
1st Unit Arrived	7/17/2020	08:53:26	
Incident Under Control			
Time Sent to Other CAD	7/17/2020	08:36:24	
Incident Closed	7/17/2020	09:17:54	CAD to CAD Service 1

Elapsed Times

Description	Time
Received to In Queue	00:00:05
Call Taking	00:03:26
In Queue To 1st Assign	00:00:17
Call Received to 1st Assign	00:00:46
Assigned to 1st Enroute	00:02:08
Enroute to 1st Arrived	00:14:38.6
Incident Duration	00:42:00

ANI/ALI Calls

Time Received	Phone Number	Address	City
7/17/2020 8:35 AM	(209) 896-6884		PLACENTIA

Units Assigned

Unit	Assigned	Disposition	Enroute	Staged	Arrived	At Patient	Delay Avail	Complete	Odm. Enroute	Odm. Arrived	Cancel Reason
BREE3	7/17/2020 08:36:40		7/17/2020 0 08:38:48		7/17/2020 08:53:26			7/17/2020 09:17:54			

Personnel Assigned

No Personnel Assigned

Pre-Scheduled Information

No Pre-Scheduled Information

Special Equipment

No Special Equipment

Transports

No Transports

Transport Legs

No Transport Legs

Comments

Date	Time	User	Type	Confidential	Comment
7/17/2020	08:36:18	SYS	Response		[1] A cellular re-bid has occurred, check the ANI/ALI Viewer for details
7/17/2020	08:36:24	C2C	Response		[2] [CADFUSION] Call transferred to ocmeds
7/17/2020	08:36:28	6773	Response		[3] ARCING WIRES BEHIND THE RESD

7/17/2020	08:36:41	C2C	Response	[4] [CADFUSION] Mutual aid request for unit BREE3 sent to metronet
7/17/2020	08:36:43	C2C1	Response	[5] [CADFUSION] MN Call #: F201990073
7/17/2020	08:36:44	C2CSERVICE1	Response	[6] resource request for unit BREE3 for incident 20-080367 has been granted
7/17/2020	08:54:29	7133	Response	[7] BREE3- REQ EDISON
7/17/2020	08:57:17	7133	Response	[8] EDISON REF 48-16215/ WILL CB WITH ETA
7/17/2020	09:17:54	C2C1	Response	[9] [CADFUSION] The Call owned by OCFA has been closed.

Address Changes

No Address Changes

Priority Changes

No Priority Changes

Transport Changes

No Transport Changes

Transport Priority Changes

No Transport Priority Changes

Alarm Level Changes

Date	Time	User	Changed to Alarm
7/17/2020	08:36:40	JONATHANRICHARDS	Alarm

Activity Log

Date	Time	Unit	Activity	Location	Log Entry	User
7/17/2020	08:36:23		Incident in Waiting Queue			
7/17/2020	08:36:23		ANI/ALI Statistics		INT Insert:Jul 17 2020 08:35:53 / INT SendNP:Jul 17 2020 08:35:53 / WS RecvNP:Jul 17 2020 08:35:52 / WS Process:Jul 17 2020 08:36:23	6773
7/17/2020	08:36:23		Read Comment		Comment for Incident 863 was Marked as Read.	6773
7/17/2020	08:36:23		CAD WEB New Incident		CAD WEB New Incident Sound Activated	
7/17/2020	08:36:23		Waiting Pending Incident Time Warning		Waiting Pending Incident Time Warning timer expired	
7/17/2020	08:36:24		Interface		This incident 20-080367 has been sent to FATPOT\CADFUSION via the CAD2CAD Interface.	RIINT01PRODMS(S
7/17/2020	08:36:24				Incident ACK received from Remote CAD OCF-20-080367	C2C
7/17/2020	08:36:24		Incident Transfer	17051 Hillwood Dr	Incident has been has been transferred, fusion ID	C2CSERVICE1

					5f11c5778f382620dc77abe3	
7/17/2020	08:36:28		Initial Assignment		The following unit(s) is (are) recommended for assignment: BREE3 (00:02:40)	7134
7/17/2020	08:36:40	BREE3	DISP	17051 Hillwood Dr		7134
7/17/2020	08:36:40		Incident Timer Clear		Incident Timer Cleared	
7/17/2020	08:37:01		Read Incident		Incident 863 was Marked as Read.	7133
7/17/2020	08:37:03		Read Comment		Comment for Incident 863 was Marked as Read.	7133
7/17/2020	08:37:28		UserAction		User clicked Exit/Save	6774
7/17/2020	08:37:33		UserAction		User clicked Exit/Save	7133
7/17/2020	08:38:46		CAD Web		CAD Web: First late alert activated (confirm response).	CADWeb
7/17/2020	08:38:46	BREE3	CAD Web		CAD Web: Late unit alert.	CADWeb
7/17/2020	08:38:48	BREE3	ER	17051 Hillwood Dr	Responding From = E IMPERIAL HY\LA FLORESTA DR.	C2CSERVICE1
7/17/2020	08:39:44		UserAction		User clicked Exit/Save	6773
7/17/2020	08:40:07		UserAction		User clicked Exit/Save	7133
7/17/2020	08:40:20		UserAction		User clicked Add Resource	6868
7/17/2020	08:40:24		UserAction		User clicked Exit/Save	6868
7/17/2020	08:40:37		UserAction		User selected Response Reconfigure from IAppManagerRCW	7133
7/17/2020	08:40:39		Reconfigure Response		The following unit(s) is (are) recommended for assignment: BREE3 (00:02:40)	7133
7/17/2020	08:41:55		UserAction		User clicked Exit/Save	6868
7/17/2020	08:43:15		UserAction		User clicked Add Resource	6868
7/17/2020	08:43:22		VisiCAD Recommendation		E10: 00:02:51, E32: 00:05:29, T32: 00:05:30, ANAE8: 00:05:39, ANAT8: 00:05:42, ANAE5: 00:06:27, FULE3: 00:06:50, BREE1: 00:07:32, ANAE9: 00:07:51, ORGE8: 00:08:01,	6868
7/17/2020	08:43:26		UserAction		User clicked Exit/Save	6868
7/17/2020	08:53:26	BREE3	OS	17051 Hillwood Dr		7133
7/17/2020	08:57:29		UserAction		User clicked Exit/Save	7133
7/17/2020	09:03:17		Read Comment		Comment for Incident 863 was Marked as Read.	7133
7/17/2020	09:03:22		UserAction		User clicked Exit/Save	7133
7/17/2020	09:05:11		UserAction		User clicked Exit/Save	7133

7/17/2020	09:11:21		VisiCAD Recommendation		E10: 00:02:51, M10: 00:02:52, FULE5: 00:04:28, E32: 00:05:29, ANAE8: 00:05:39, ANAT8: 00:05:42, ANAE5: 00:06:27, FULE3: 00:06:50, FULE1: 00:07:33, ANAE9: 00:07:51,	7134
7/17/2020	09:14:43		UserAction		User clicked Exit/Save	6868
7/17/2020	09:17:54	BREE3	AOR	17051 Hillwood Dr	Unit Cleared From Incident 20-080367	C2CSERVICE1
7/17/2020	09:17:54	BREE3	Response Closed	17051 Hillwood Dr	Response Disposition: Default Call Disposition	C2CSERVICE1
7/20/2020	13:23:54		UserAction		User clicked Exit/Save	6562
7/20/2020	13:37:07		UserAction		User clicked Exit/Save	6562
7/20/2020	13:45:19		UserAction		User clicked Exit/Save	6562
8/10/2020	10:17:41		UserAction		User clicked Exit/Save	6562
8/10/2020	10:21:52		UserAction		User clicked Exit/Save	6562
10/8/2020	08:48:44		UserAction		User clicked Exit/Save	6562

Edit Log

Date	Time	Field	Changed From	Changed To	Reason	Table	Workstation	User
7/17/2020	08:35:54	Latitude	0	33888033	Entry Selected/Returned from GeoLocator	Response_Master_Incident	FA07	6773
7/17/2020	08:35:54	Longitude	0	117836570	Entry Selected/Returned from GeoLocator	Response_Master_Incident	FA07	6773
7/17/2020	08:35:54	Call_Back_Phone		(209) 896-6884	(Response Viewer)	Response_Master_Incident	FA07	6773
7/17/2020	08:35:54	Address	(Blank)	33° 53'16.92"N / 117° 50'11.65"W	New Entry	Response_Master_Incident	FA07	6773
7/17/2020	08:35:54	Jurisdiction		DIV4	(Response Viewer)	Response_Master_Incident	FA07	6773
7/17/2020	08:35:54	Division		DIV4	(Response Viewer)	Response_Master_Incident	FA07	6773
7/17/2020	08:35:54	Battalion		BAT02	(Response Viewer)	Response_Master_Incident	FA07	6773
7/17/2020	08:35:54	Response_Area		B2YBLPLA01	(Response Viewer)	Response_Master_Incident	FA07	6773
7/17/2020	08:35:54	Command_Channel		4C (Z24)	(Response Viewer)	Response_Master_Incident	FA07	6773

7/17/2020	08:35:54	ResponsePlanType	0	0	(Response Viewer)	Response_Master_Incident	FA07	6773
7/17/2020	08:35:54	Primary_TAC_Channel		4E	(Response Viewer)	Response_Master_Incident	FA07	6773
7/17/2020	08:35:54	Alternate_TAC_Channel		4O (Z24)	(Response Viewer)	Response_Master_Incident	FA07	6773
7/17/2020	08:35:54	Address	33° 53'16.92"N / 117° 50'11.65"W	17031 HILLWOOD DR	Entry Selected/Returned from GeoLocator	Response_Master_Incident	FA07	6773
7/17/2020	08:35:55	City		YBL	Updated City	Response_Master_Incident	FA07	6773
7/17/2020	08:35:59	Address	(Blank)	17051 HIL	New Entry	Response_Master_Incident	FA07	6773
7/17/2020	08:36:00	Jurisdiction		DIV4	(Response Viewer)	Response_Master_Incident	FA07	6773
7/17/2020	08:36:00	Division		DIV4	(Response Viewer)	Response_Master_Incident	FA07	6773
7/17/2020	08:36:00	Battalion		BAT02	(Response Viewer)	Response_Master_Incident	FA07	6773
7/17/2020	08:36:00	Response_Area		B2YBLPLA01	(Response Viewer)	Response_Master_Incident	FA07	6773
7/17/2020	08:36:00	Command_Channel		4C (Z24)	(Response Viewer)	Response_Master_Incident	FA07	6773
7/17/2020	08:36:00	ResponsePlanType	0	0	(Response Viewer)	Response_Master_Incident	FA07	6773
7/17/2020	08:36:00	Primary_TAC_Channel		4E	(Response Viewer)	Response_Master_Incident	FA07	6773
7/17/2020	08:36:00	Address	17051 HIL	17051 HILLWOOD DR	Entry Selected/Returned from GeoLocator	Response_Master_Incident	FA07	6773
7/17/2020	08:36:00	City		YBL	Updated City	Response_Master_Incident	FA07	6773
7/17/2020	08:36:00	Latitude	33888033	33888088	Entry Selected/Returned from GeoLocator	Response_Master_Incident	FA07	6773
7/17/2020	08:36:00	Longitude	117836570	117836270	Entry Selected/Returned from GeoLocator	Response_Master_Incident	FA07	6773
7/17/2020	08:36:09	Apartment	Oca230e		(Response Viewer)	Response_Master_Incident	FA07	6773
7/17/2020	08:36:23	Read Comment	False	True	(Response Viewer)	Response_Master_Incident	FA07	6773

7/17/2020	08:36:23	Problem		Arcing Wires	(Response Viewer)	Response_Master_Incident	FA07	6773
7/17/2020	08:37:01	Read Call	False	True	(Response Viewer)	Response_Master_Incident	FA02	7133
7/17/2020	08:37:03	Read Comment	False	True	(Response Viewer)	Response_Master_Incident	FA02	7133
7/17/2020	09:03:17	Read Comment	False	True	(Response Viewer)	Response_Master_Incident	FA02	7133

Custom Time Stamps

No Custom Time Stamps

Custom Data Fields

Description	Data	User
ASA:	A-EMER	6773
1st DUE:	ORC10	6773
TB/SAM:	739J4	6773
Township & Range	T03SR09W	6773
ASA:	A-EMER	6773
1st DUE:	ORC10	6773
TB/SAM:	739J4	6773
Township & Range	T03SR09W	6773
ASA:	A-EMER	6773
1st DUE:	ORC10	6773
TB/SAM:	739J4	6773
Township & Range	T03SR09W	6773

Case Number

No Case Numbers

Attachments

No Attachments

Dispositions

Date	Time	Unit	Disposition	User
7/17/2020	09:17:54		Default Call Disposition	C2CSERVICE1

Supplemental Person

No Supplemental Persons

Supplemental Property

No Supplemental Property

Supplement Vehicle

No Supplemental Vehicles

Supplemental Weapon

No Supplemental Weapons

Incident Detail Report

Incident Status Closed
Incident Number 20-081017
Incident Date 7/18/2020 17:58:52

Incident Information

Incident Type:	Medical-ALS	Alarm Level:	1
Priority:	1	Problem:	ALS-III Person/Unk Problem
Determinant:		Agency:	OCFA
Base Response #:		Jurisdiction:	DIV4
Confirmation #:		Division:	DIV4
Taken By:	VANESSACARBAJAL	Battalion:	BAT02
Response Area:	B2YBLPLA01	Response Plan:	MEDICAL-ALS
Disposition:	Default Call Disposition	Command Ch:	4C (Z24)
Cancel Reason:		Primary TAC:	4E
Incident Status:	Closed	Alternate TAC:	4O (Z24)
Certification:		Delay Reason:	
Longitude:	117836268	Latitude:	33892528
MGRS:	11SMT2267450554	UTM:	11S 422674 3750554

Incident Location

Location Name:		County:	Orange
Address:	4711 Tucana St	Location Type:	
Apartment:		Cross Street:	Dead End/ORANGE DR
Building:		Tow Provider Area:	
City, State, Zip:	YBL, CA 92886	Map Reference:	D0834w

Call Receipt

Caller Name:	17R3	Call Back Phone:	714-336-0204
Method Received:		Caller Location:	
Caller Type:		Caller Apt/Bldg:	/
Caller Address:		Caller County:	
Caller City, State, Zip:			

Time Stamps

Description	Date	Time	User
Phone Pickup	7/18/2020	17:58:45	
1st Key Stroke	7/18/2020	17:58:46	
In Pending Queue	7/18/2020	17:58:53	
Call Taking Complete	7/18/2020	18:03:54	VANESSACARBAJAL
1st Unit Assigned	7/18/2020	17:59:13	
1st Unit Enroute	7/18/2020	17:59:52	
1st Unit Arrived	7/18/2020	18:06:35	
Incident Under Control			
Time Sent to Other CAD	7/18/2020	17:58:54	
Incident Closed	7/18/2020	18:11:53	CAD to CAD Service 1

Elapsed Times

Description	Time
Received to In Queue	00:00:01
Call Taking	00:05:02
In Queue To 1st Assign	00:00:20
Call Received to 1st Assign	00:00:28
Assigned to 1st Enroute	00:00:39
Enroute to 1st Arrived	00:06:43.0
Incident Duration	00:13:08

ANI/ALI Calls

No ANI/ALI Calls

Units Assigned

Unit	Assigned	Disposition	Enroute	Staged	Arrived	At Patient	Delay Avail	Complete	Odm. Enroute	Odm. Arrived	Cancel Reason
P32	7/18/2020 17:59:13		7/18/2020 0 18:08:53					7/18/2020 18:09:01			
FULE5	7/18/2020 17:59:13		7/18/2020 0 17:59:52		7/18/2020 18:07:45			7/18/2020 18:11:53			
M10	7/18/2020 17:59:13		7/18/2020 0 18:00:12		7/18/2020 18:06:35			7/18/2020 18:09:38			
AMB31	7/18/2020 17:59:13							7/18/2020 17:59:21			
EMRAMB6	7/18/2020 17:59:21							7/18/2020 18:00:49			
EMR22	7/18/2020 18:00:29		7/18/2020 0 18:04:26					7/18/2020 18:11:09			

Personnel Assigned

Unit	Name
M10	DANIELHANSEN (4713)
P32	EDDIEVENTURA (5227)
P32	JOHNPOWERS (6766)
M10	SCOTTBISSENETTE (2045)
P32	SEANKENNEDY (6763)
P32	VINCENTKENNEDY (7110)

Pre-Scheduled Information

No Pre-Scheduled Information

Special Equipment

No Special Equipment

Transports

No Transports

Transport Legs

No Transport Legs

Comments

Date	Time	User	Type	Confidential	Comment
7/18/2020	17:58:55	C2C	Response		[1] [CADFUSION] Call transferred to ocmeds
7/18/2020	17:59:00	6668	Response		[2] 911H--CALLING BACK NO
7/18/2020	17:59:02	6668	Response		[3] NOW
7/18/2020	17:59:14	6668	Response		[5] FEM SAYING SHE GOT GAS ON HER LIP...
7/18/2020	17:59:14	CPSERVICE	Response		[4] Closest HOSPITAL to 4711 Tucana St: 1: HOSP-PLACENTIA LINDA HOSPITAL *THHM* (1301 N ROSE) - ETA: 00:01:27 2: HOSP-KAISER HOSPITAL ANAHEIM - ETA: 00:04:53 3: HOSP-SAINT JUDE MEDICAL CENTER - ETA: 00:08:13
7/18/2020	17:59:16	C2C	Response		[6] [CADFUSION] Mutual aid request for unit FULE5 sent to metronet
7/18/2020	17:59:17	C2C1	Response		[7] [CADFUSION] MN Call #: F202000223
7/18/2020	17:59:17	C2CSERVICE1	Response		[8] resource request for unit FULE5 for incident 20-081017 has been granted
7/18/2020	17:59:22	C2C	Response		[9] [CADFUSION] Mutual aid request for unit EMRAMB6 sent to emergency
7/18/2020	18:00:30	C2C	Response		[10] [CADFUSION] EMRAMB6 unit request has been GRANTED
7/18/2020	18:00:44	C2C	Response		[11] [CADFUSION] emergency has closed call EMR-20-081017
7/18/2020	18:02:35	6668	Response		[12] NO ANSWER ON CALL BACK X'S 2--LEFT VMAIL
7/18/2020	18:11:54	C2C1	Response		[13] [CADFUSION] The Call owned by OCFA has been closed.

Address Changes

No Address Changes

Priority Changes

No Priority Changes

Transport Changes

No Transport Changes

Transport Priority Changes

No Transport Priority Changes

Alarm Level Changes

Date	Time	User	Changed to Alarm
7/18/2020	17:59:13	LAURENSTASON	Alarm

Activity Log

Date	Time	Unit	Activity	Location	Log Entry	User
7/18/2020	17:58:53		Incident in Waiting Queue			
7/18/2020	17:58:53		Incident Transfer	4711 Tucana St	Incident has been transferred, fusion ID 5f139ace8f3823402cc68666	C2CSERVICE1
7/18/2020	17:58:54		SOP Updated		Updated SOP information is available	6668
7/18/2020	17:58:54		Waiting Pending Incident Time Warning		Waiting Pending Incident Time Warning timer expired	
7/18/2020	17:58:54		Interface		This incident 20-081017 has been sent to FATPOT\CADFUSION via the CAD2CAD Interface.	RIINT01PRODMS(S)
7/18/2020	17:58:54				Incident ACK received from Remote CAD OCF-20-081017	C2C
7/18/2020	17:58:55		CAD WEB New Incident		CAD WEB New Incident Sound Activated	
7/18/2020	17:59:03		Initial Assignment		The following unit(s) is (are) recommended for assignment: P32 (00:03:24),FULE5 (00:05:12),M10 (00:03:15),AMB31 (*00:01:25)	6771
7/18/2020	17:59:13	FULE5	DISP	4711 Tucana St		6771
7/18/2020	17:59:13	P32	DISP	4711 Tucana St		6771
7/18/2020	17:59:13	AMB31	DISP	4711 Tucana St		6771
7/18/2020	17:59:13	M10	DISP	4711 Tucana St		6771
7/18/2020	17:59:13		Incident Timer Clear		Incident Timer Cleared	
7/18/2020	17:59:16		Read Incident		Incident 804 was Marked as Read.	6771
7/18/2020	17:59:18		Read Comment		Comment for Incident 804 was Marked as Read.	6771
7/18/2020	17:59:21	AMB31	AOR	4711 Tucana St		RIINT07PRODMS(S)
7/18/2020	17:59:21	EMRAMB6	DISP	4711 Tucana St		RIINT07PRODMS(S)
7/18/2020	17:59:25		Westnet Preannouncements Completed	4711 Tucana St	Preannouncements completed for unit(s) M10, in station(s) ORC10.	STATIONALERT
7/18/2020	17:59:35		Read Comment		Comment for Incident 804 was Marked as Read.	6868
7/18/2020	17:59:45		UserAction		User clicked Exit/Save	7093
7/18/2020	17:59:47		UserAction		User clicked Exit/Save	6868

7/18/2020	17:59:52	FULE5	ER	4711 Tucana St	Responding From = YORBA LINDA BL\ALMIRA AVE.	C2CSERVICE1
7/18/2020	17:59:53		UserAction		User clicked Exit/Save	7133
7/18/2020	18:00:12	M10	ER	4711 Tucana St	Responding From = FIRE STATION DRIVEWAY\LEMON DR.	3660
7/18/2020	18:00:29	EMR22	DISP	4711 Tucana St		RIINT01PRODMS(S
7/18/2020	18:00:49	EMRAMB6	AOR	4711 Tucana St		RIINT01PRODMS(S
7/18/2020	18:03:36		CAD Web		CAD Web: First late alert activated (confirm response).	CADWeb
7/18/2020	18:03:36	EMR22	CAD Web		CAD Web: Late unit alert.	CADWeb
7/18/2020	18:03:54		UserAction		User clicked Exit/Save	6668
7/18/2020	18:03:58		Read Comment		Comment for Incident 804 was Marked as Read.	6668
7/18/2020	18:04:08		UserAction		User clicked Exit/Save	6668
7/18/2020	18:04:26	EMR22	ER	4711 Tucana St	Responding From = EMER.	6773
7/18/2020	18:06:35	M10	OS	4711 Tucana St		3660
7/18/2020	18:06:55		UserAction		User clicked Exit/Save	6771
7/18/2020	18:07:45	FULE5	OS	4711 Tucana St		C2CSERVICE1
7/18/2020	18:08:53	P32	ER	4711 Tucana St	Responding From = LEMON DR\FIRE STATION DRIVEWAY.	3687
7/18/2020	18:09:01	P32	AOR	4711 Tucana St	Unit Cleared From Incident 20-081017	6773
7/18/2020	18:09:12		UserAction		User clicked Exit/Save	6773
7/18/2020	18:09:38	M10	AOR	4711 Tucana St	Unit Cleared From Incident 20-081017	3660
7/18/2020	18:11:09	EMR22	AOR	4711 Tucana St		RIINT01PRODMS(S
7/18/2020	18:11:53	FULE5	AOR	4711 Tucana St	Unit Cleared From Incident 20-081017	C2CSERVICE1
7/18/2020	18:11:54	FULE5	Response Closed	4711 Tucana St	Response Disposition: Default Call Disposition	C2CSERVICE1
7/18/2020	19:20:54		Read Comment		Comment for Incident 804 was Marked as Read.	6668
7/18/2020	19:21:16		UserAction		User clicked Exit/Save	6668
7/30/2020	23:39:33		UserAction		User clicked Exit/Save	6562
7/30/2020	23:43:30		UserAction		User clicked Exit/Save	6562
8/10/2020	10:23:11		UserAction		User clicked Exit/Save	6562
10/8/2020	08:56:03		UserAction		User clicked Exit/Save	6562

Edit Log

Date	Time	Field	Changed From	Changed To	Reason	Table	Workstation	User
7/18/2020	17:58:48	Address	(Blank)	4711 TUCANA	New Entry	Response_Master_Incident	FA15	6668
7/18/2020	17:58:48	Jurisdiction		DIV4	(Response Viewer)	Response_Master_Incident	FA15	6668
7/18/2020	17:58:48	Division		DIV4	(Response Viewer)	Response_Master_Incident	FA15	6668
7/18/2020	17:58:48	Battalion		BAT02	(Response Viewer)	Response_Master_Incident	FA15	6668
7/18/2020	17:58:48	Response_Area		B2YBLPLA01	(Response Viewer)	Response_Master_Incident	FA15	6668
7/18/2020	17:58:48	Command_Channel		4C (Z24)	(Response Viewer)	Response_Master_Incident	FA15	6668
7/18/2020	17:58:48	ResponsePlanType	0	0	(Response Viewer)	Response_Master_Incident	FA15	6668
7/18/2020	17:58:48	Primary_TAC_Channel		4E	(Response Viewer)	Response_Master_Incident	FA15	6668
7/18/2020	17:58:48	Alternate_TAC_Channel		4O (Z24)	(Response Viewer)	Response_Master_Incident	FA15	6668
7/18/2020	17:58:48	Address	4711 TUCANA	4711 TUCANA ST	Entry Selected/Returned from GeoLocator	Response_Master_Incident	FA15	6668
7/18/2020	17:58:48	City		YBL	Updated City	Response_Master_Incident	FA15	6668
7/18/2020	17:58:48	Latitude	0	33892528	Entry Selected/Returned from GeoLocator	Response_Master_Incident	FA15	6668
7/18/2020	17:58:48	Longitude	0	117836268	Entry Selected/Returned from GeoLocator	Response_Master_Incident	FA15	6668
7/18/2020	17:58:53	Problem		ALS-III Person/Unk Problem	(Response Viewer)	Response_Master_Incident	FA15	6668
7/18/2020	17:59:16	Read Call	False	True	(Response Viewer)	Response_Master_Incident	FA03	6771
7/18/2020	17:59:18	Read Comment	False	True	(Response Viewer)	Response_Master_Incident	FA03	6771
7/18/2020	17:59:22	Call_Back_Phone		714-996-0204	(Response Viewer)	Response_Master_Incident	FA15	6668
7/18/2020	17:59:35	Read Comment	False	True	(Response Viewer)	Response_Master_Incident	FA04	6868
7/18/2020	18:01:16	Call_Back_Phone	714-996-0204	714-336-0204	(Response Viewer)	Response_Master_Incident	FA15	6668

7/18/2020	18:03:54	Caller_Name		17R3	(Response Viewer)	Response_Master_Incident	FA15	6668
7/18/2020	18:03:58	Read Comment	False	True	(Response Viewer)	Response_Master_Incident	FA15	6668
7/18/2020	19:20:54	Read Comment	False	True	(Response Viewer)	Response_Master_Incident	FA02	6668

Custom Time Stamps

No Custom Time Stamps

Custom Data Fields

Description	Data	User
Township & Range	T03SR09W	6668
TB/SAM:	739J4	6668
1st DUE:	ORC10	6668
ASA:	A-EMER	6668
Township & Range	T03SR09W	6668
TB/SAM:	739J4	6668
1st DUE:	ORC10	6668
ASA:	A-EMER	6668

Case Number

No Case Numbers

Attachments

No Attachments

Dispositions

Date	Time	Unit	Disposition	User
7/18/2020	18:11:53		Default Call Disposition	C2CSERVICE1

Supplemental Person

No Supplemental Persons

Supplemental Property

No Supplemental Property

Supplement Vehicle

No Supplemental Vehicles

Supplemental Weapon

No Supplemental Weapons

On Sep 29, 2020, at 4:32 PM, Dossey, Kenny <KennyDossey@ocfa.org> wrote:

Thanks Jason for the rapid response.

For clarity there was two drills planned, one from dispatch, and one from field operations. I understand the dispatch is not under you, but the field operations or the firefighters doing a mayday drill should be under your direction, at least I am assuming? If I am wrong, let me know and I can direct this email to the correct party. I am glad you are using the AAR the Ops Group put together for Placentia's training purposes and specifically to avoid the NIOSH 5 again.

Thanks again for your quick response, I look forward to your reply,

<image003.jpg>

Kenny Dossey

Assistant Chief, Operations
Orange County Fire Authority
Office: 714.573.6006 | Mobile: 949.560.5126

Executive Assistant
Judy Rader | 714.573.6023 | judyrader@ocfa.org

In Service of Others!

From: Jason Dobine <jdobine@placentia.org>

Sent: Tuesday, September 29, 2020 3:37 PM

To: Dossey, Kenny <KennyDossey@ocfa.org>; Robert Stefano <rstefano@cityoforange.org>

Cc: Chadwyn Thompson <CThompson@anaheim.net>; brandon.coatney@fullertonfire.org

Subject: RE: Firefighter Mayday Drill Follow-Up

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hello Chief Dossey;

Hello Chief Dossey:

I have not forgotten about the many requests that you have made to have a Placentia specific mayday drill. I have inquired as to when we could have one conducted on several occasions. After I saw you recently at the last OC Ops Chiefs meeting, I spoke to you about this situation, and that I did not have any updates on when the drill would take place. I know you are well aware of the fact that getting the approval for the drill is beyond my decision making capabilities. Placentia dispatch is under a different span of control within the City, and I can only continue to do what I have been doing by bringing this request to the forefront. Chief Van Gieson has stated that he was in talks with Fullerton's Fire Chief to work out the parameters of the drill. That is where I have gone with this request. I will follow up again, and hopefully with continued requests a drill can be completed in the near future. I wish I had more for you and the group on this matter. On the subject of the After Action Review I would like to express my

great appreciation for the AAR that was given by the Metro Ops Chiefs. It was a very honest critique, and I felt it to be really educational. I would like you to know that since that meeting, I have completed an internal Post Incident Analysis for my organization that was in line with what the Metro Chiefs presented, including the NIOSH 5 information. This is my attempt to do my part to work with you all, and educate our members on how to perform better in the OC Fire system, by utilizing the OC annex., and more importantly using the Risk vs Gain philosophy on every incident in which an IDLH presents itself. No firefighters life or well being is worth a vacant structure. Only a save-able life, or any intervention that we can make that will save the lives of our Citizens warrant that type of sacrifice from our members. I have said this many times to this group, and I continue to carry this message forward to the members of Placentia Fire and Life Safety. Thank you again for your continued support know I'm doing my best, and I look forward to seeing you all soon. If you have any questions please don't hesitate to contact me.

Respectfully,

Jason

From: Dossey, Kenny <KennyDossey@ocfa.org>

Sent: Tuesday, September 29, 2020 9:37 AM

To: Jason Dobine <jdobine@placentia.org>; Robert Stefano <rstefano@cityoforange.org>

Cc: Chadwyn Thompson <CThompson@anaheim.net>; brandon.coatney@fullertonfire.org

Subject: RE: Firefighter Mayday Drill Follow-Up

Jason,

We are coming up on another 30 days, for a total of **90 plus** days since Placentia cancelled the Firefighter Mayday Drill that was promised for agencies to observe your departments manipulative skills and your dispatcher capabilities in a worst case scenario for any fire department. As the Operations Chief for OCFA, I have a duty to make sure the firefighters that go into the city of Placentia or any jurisdiction will be safe. The Operations Chiefs' Sub-Group has done everything possible to assist Placentia in accomplishing this, including setting up a drill and dispatch observation for Placentia.

The surrounding agencies assisted Placentia this month in a second alarm structure fire that exposed some safety concerns with Placentia Fire. Specifically the violations of the NIOSH 5, the five main reasons Firefighters are killed in the line of duty. The Metro Ops Chiefs sponsored an after action debriefing and again reached out to help. Is there any plan to have a Firefighter Mayday drill in your city? You told me the last three months this has not fallen off the radar and you understand the importance of Firefighter Safety? See the below email thread.

Can you tell me when this will take place or the current status?

Thank you,
Kenny

<image002.jpg>

Kenny Dossey

Assistant Chief, Operations
Orange County Fire Authority
Office: 714.573.6006 | Mobile: 949.560.5126

Executive Assistant
Judy Rader | 714.573.6023 | judyrader@ocfa.org

In Service of Others!

From: Jason Dobine <jdobine@placentia.org>

Sent: Friday, August 28, 2020 1:12 PM

To: Robert Stefano <rstefano@cityoforange.org>

Cc: Dossey, Kenny <KennyDossey@ocfa.org>; Chadwyn Thompson <CThompson@anaheim.net>;
brandon.coatney@fullertonfire.org

Subject: Re: Firefighter Mayday Drill Follow-Up

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hello Chief Stefano:

Below is the reply i sent to Chief Dossey earlier. I hit the only reply to sender button which excluded everyone who was Cc'd. My apologies.

Jason.

Chief Dossey;

I have been trying to get this training done. The political winds are still very strong as demonstrated by the recent OC Register article. I have a meeting with my boss on Monday. I have forwarded your email to him and will again discuss trying to move beyond the unnecessary roadblocks. I'll report back to you afterwards. Hope you have a great weekend.

Jason Dobine | Battalion Chief | Placentia Fire & Life Safety Department | City of Placentia | [401 E. Chapman Ave. Placentia, CA 92870](tel:7149610283) | Phone (657) 315-3818 | Fax [\(714\) 961-0283](tel:7149610283)

On Aug 28, 2020, at 11:40 AM, Robert Stefano <rstefano@cityoforange.org> wrote:

Is there any response to this email?

Robert Stefano
Deputy Chief of Operations
Orange City Fire

949.533.2049

On Aug 27, 2020, at 9:26 AM, Dossey, Kenny <KennyDossey@ocfa.org> wrote:

Jason,

We are coming up on another 30 days, for a total of 60 plus days since Placentia cancelled the Firefighter Mayday Drill that was promised for agencies to observe your departments manipulative skills and your dispatcher capabilities in a worst case scenario for any fire department. As the Operations Chief for OCFA, I have a duty to make sure the firefighters that go into the city of Placentia or any jurisdiction will be safe. The Operations Chiefs' Sub-Group has done everything possible to assist Placentia in accomplishing this, including setting up a drill and dispatch observation for Placentia.

Can you tell me when this will take place or the current status? If the plan is to not do the drill, just tell me.

Thank you,
Kenny

From: Jason Dobine <jdobine@placentia.org>

Sent: Tuesday, August 11, 2020 11:19 AM

To: Robert Stefano <rstefano@cityoforange.org>; Dossey, Kenny <KennyDossey@ocfa.org>; Chadwyn Thompson <cthompson@anaheim.net>

Subject: Re: Firefighter Mayday Drill Follow-Up

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hi Guys.

We got our VHF's programmed. Thanks Chief Stefano!!! I think I wasn't clear when I asked Chief Johnson for the State Load. What I'm looking for is a book or list of all the state channels. I'm was told that this is what you guys keep in your rigs in like a notebook or binder for out of county responses purposes. We are not at the point where we can respond, however we are moving in that direction and I want to make sure we have all the tools necessary to be successful and a contributing member of any deployment. Thanks again for your assistance. One day I'll be able to return these favors for you all.

Jadon

Jason Dobine | Battalion Chief | Placentia Fire & Life Safety Department | City of Placentia | [401 E. Chapman Ave. Placentia, CA](#) 92870 | Phone (657) 315-3818 | Fax [\(714\) 961-0283](#)

On Aug 11, 2020, at 9:19 AM, Robert Stefano <rstefano@cityoforange.org> wrote:

I sent Jason the radio load schematics, now they just need to be programmed.

Robert Stefano
Deputy Chief of Operations
Orange City Fire
949.533.2049

On Aug 11, 2020, at 9:15 AM, Dossey, Kenny <KennyDossey@ocfa.org> wrote:

Jason,
After the operations meeting last Thursday, OCFA Division Chief Phil Johnson informed me you inquired about the state VHF radio load for your radios. If I am not mistaken, our operations sub group has already advised you that OCC is the place to get information on anything radios. If you were you not successful in contacting OCC or did they not have what you needed let us know. The OCC number is 714-704-7999.

Thanks.

Kenny

From: Jason Dobine <jdobine@placentia.org>
Sent: Wednesday, July 29, 2020 2:48 PM
To: Dossey, Kenny <KennyDossey@ocfa.org>
Cc: Chadwyn Thompson <CThompson@anaheim.net>; Newton, Jamie <JamieN@fullertonfire.org>; Robert Stefano <rstefano@cityoforange.org>; brandon.coatney@fullerton.org
Subject: Re: Firefighter Mayday Drill Follow-Up

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hello;

The topic of the Mayday drill has not fallen off the radar. I know that Chief Loeser, and my FC have had several discussions regarding the issue. He is out of town due to a death in the family so I will have to wait to next week to get an update on where we are with the training. I am going to work diligently to materialize this training in the hopes that we can move beyond this topic and to other operational issues that have arisen since our start date.

On another note. I have reached out to you regarding some issues over the last few weeks. Most recently to inform you we were temporarily down to one engine in service due to a mechanical issue. I never heard back, and I'm wondering if you received my message or that maybe it was not sent to the correct destination for you?.

I will have updates of our progress at the next ops group meeting if it is still on the calendar for next month. Hope all is well, and that you, your family, and your entire OCFA members are keeping safe during these challenging times.

Regards,

Jason

Jason Dobine | Battalion Chief | Placentia Fire & Life Safety Department | City of Placentia | [401 E. Chapman Ave. Placentia, CA 92870](#) | Phone (657) 315-3818 | Fax [\(714\) 961-0283](#)

On Jul 29, 2020, at 2:23 PM, Dossey, Kenny <KennyDossey@ocfa.org> wrote:

Jason,

I hope all is going well for you and your new position. I know you are aware that the Operations Working Group is still interested in observing a Firefighter Mayday Drill with Placentia running the dispatch and manipulative portions of the drill. It has been 30 days since Placentia Fire and Life Safety has been in service, and the time has come to follow through with your part of the cancelled drills. The rest of the Orange County Fire Departments want to know if Placentia can safely and efficiently handle a Firefighter Mayday call? COVID precautions can be planned for with training and we are willing to social distance, wear mask, and do whatever else is necessary.

Thanks,

<image001.png>

Kenny Dossey

Assistant Chief, Operations
Orange County Fire Authority
Office: 714.573.6006 | Mobile: 949.560.5126

Executive Assistant
Judy Rader | 714.573.6023 | judyrader@ocfa.org

In Service of Others!

CONFIDENTIAL COMMUNICATION

This electronic mail message and any attachments are intended only for the use of the addressee(s) named above and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If you are not an intended recipient, or the employee or agent responsible for delivering this e-mail to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you received this e-mail message in error, please immediately notify the sender by replying to this message or by telephone. Thank you.

From: Jason Dobine <jdobine@placentia.org>

Sent: Friday, June 26, 2020 7:52 AM

To: Dossey, Kenny <KennyDossey@ocfa.org>

Subject: Re: Dispatch Mayday Drill

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Good Morning Chief;

Sorry for the late reply. I do not have a date set to reschedule the training prior to July 1. However, this is what we have done to address the concerns from you and the group in the interim. We will have our 3 BC's and Captain Huckabey (who is off on an injury) rotate through dispatch to allow for additional supervision, training and support on a 24 hour basis 7 days a week. We are working out the length of the shifts, whether they be an 8 hour or 12 hour shift currently. On July 1st and 2nd I will be the on duty BC, during my entire 48 hour shift there will be someone that I mentioned above providing any assistance necessary in dispatch.

On another note, I would like to ask if you would be willing to meet with me one on one if possible. Maybe if you are free on the 2nd we can meet for lunch or a coffee (my treat) at a place of your choosing that is not too far away from the Placentia border. Please let me know your thoughts. I hope that you have a great day/weekend, and hopefully we can further this discussion in person on the 2nd.

Respectfully,

Jason

Jason Dobine | Battalion Chief | Placentia Fire & Life Safety Department | City of Placentia | [401 E. Chapman Ave. Placentia, CA](#) 92870 | Phone (657) 315-3818 | Fax [\(714\) 961-0283](#)

On Jun 25, 2020, at 7:39 PM, Dossey, Kenny <KennyDossey@ocfa.org> wrote:

Jason,

Any news on a make-up day for the Manipulative Drill or the Mayday dispatch drill with the OC Operations sub group? Let us know, we are still interested in gathering information prior to the start of Placentia Fire in 6 days. As you are aware, our main interest/concern is Firefighter Safety.

Thank you,

<image001.png>

Kenny Dossey

Assistant Chief, Operations

Orange County Fire Authority

Office: 714.573.6006 | Mobile: 949.560.5126

Executive Assistant

Judy Rader | 714.573.6023 | judyrader@ocfa.org

In Service of Others!

CONFIDENTIAL COMMUNICATION

This electronic mail message and any attachments are intended only for the use of the addressee(s) named above and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If you are not an intended recipient, or the employee or agent responsible for delivering this e-mail to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you received this e-mail message in error, please immediately notify the sender by replying to this message or by telephone. Thank you.

From: Dossey, Kenny
Sent: Monday, June 22, 2020 4:37 PM
To: 'Jason Dobine' <jdobine@placentia.org>; 'Chadwyn Thompson' <CThompson@anaheim.net>; 'Newton, Jamie' <JamieN@fullertonfire.org>; 'Stefano, Robert' <rstefano@cityoforange.org>
Subject: Dispatch Mayday Drill

Jason,
Any news on the dispatch drill scheduled tomorrow at Placentia?

Let me know ASAP.

<image001.png>

Kenny Dossey

Assistant Chief, Operations
Orange County Fire Authority
Office: 714.573.6006 | Mobile: 949.560.5126

Executive Assistant
Judy Rader | 714.573.6023 | judyrader@ocfa.org

In Service of Others!

CONFIDENTIAL COMMUNICATION

This electronic mail message and any attachments are intended only for the use of the addressee(s) named above and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If you are not an intended recipient, or the employee or agent responsible for delivering this e-mail to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you received this e-mail message in error, please immediately notify the sender by replying to this message or by telephone. Thank you.

From: Dossey, Kenny
Sent: Thursday, June 25, 2020 7:40 PM
To: 'Jason Dobine' <jdobine@placentia.org>; 'Chadwyn Thompson' <CThompson@anaheim.net>; 'Newton, Jamie' <JamieN@fullertonfire.org>; 'Stefano, Robert' <rstefano@cityoforange.org>
Subject: RE: Dispatch Mayday Drill

Jason,
Any news on a make-up day for the Manipulative Drill or the Mayday dispatch drill with the OC Operations sub group? Let us know, we are still interested in gathering information prior to the start of Placentia Fire in 6 days. As you are aware, our main interest/concern is Firefighter Safety.

Thank you,



Kenny Dossey

Assistant Chief, Operations
Orange County Fire Authority
Office: 714.573.6006 | Mobile: 949.560.5126

Executive Assistant

Judy Rader | 714.573.6023 | judyrader@ocfa.org

In Service of Others!

From: Robert Stefano <rstefano@cityoforange.org>
Sent: Thursday, June 25, 2020 7:18 PM
To: Boyd, Chris <cboyd@cityoforange.org>
Cc: Chadwyn Thompson <CThompson@anaheim.net>; Dossey, Kenny <KennyDossey@ocfa.org>; Jamie Newton <jamie.newton@fullertonfire.org>
Subject: Fwd: Dispatch Mayday Drill

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Chief Boyd,

As the President of the OC OPs Section, and the Chair of the OPs sections sub-group (which includes; OCFA, AFD, Ful/Bre FD, Orange City Fire, and Placentia Fire and Life Safety), I wanted to inform you of the following:

Chief Dossey recently sent an e-mail to Jason Dobine, PF&LS's Operations Chief. This email was sent on 06/22/2020, and Chief Dossey was requesting a response as to whether or not our collaborative follow-up ECC drill would take place as planned. This follow-up drill was to planned to occur on 06/23/2020.

Chief Dobine's disappointing text response is pasted below Chief Dossey's original email.

Can you please pass this message on to the FCs group, and for sure the President of the FC group. I believe this information is indicative of our continued effort to assist this newly formed fire department, and their lack of effort to be collaborative and cooperative.

Respectfully,

Robert Stefano
Deputy Chief of Operations
Orange City Fire
949.533.2049

Begin forwarded message:

From: "Dossey, Kenny" <KennyDossey@ocfa.org>
Date: June 22, 2020 at 4:36:32 PM PDT
To: Jason Dobine <jdobine@placentia.org>, Chadwyn Thompson <CThompson@anaheim.net>, "Newton, Jamie" <jamien@fullertonfire.org>, Robert Stefano <rstefano@cityoforange.org>
Subject: Dispatch Mayday Drill

Jason,
Any news on the dispatch drill scheduled tomorrow at Placentia?

Let me know ASAP.

His text response:

Given that I committed to responding to the group. I am informing everyone that the dispatch training is off for tomorrow. I cannot be there to facilitate and they are doing internal training to complete their initial dispatch training. I will do my best to to reschedule. If there is still an interest. I wish you all the very best. I am sorry, I truly hope for better days in the very near future. I have much to consider. Jason.

Kenny Dossey

Assistant Chief, Operations
Orange County Fire Authority
Office: 714.573.6006 | Mobile: 949.560.5126

Executive Assistant
Judy Rader | 714.573.6023 | judyrader@ocfa.org

In Service of Others!

CONFIDENTIAL COMMUNICATION

This electronic mail message and any attachments are intended only for the use of the addressee(s) named above and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If you are not an intended recipient, or the employee or agent responsible for delivering this e-mail to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you received this e-mail message in error, please immediately notify the sender by replying to this message or by telephone. Thank you.

E-mail correspondence, along with any attachments, may be subject to the California Public Records Act; and as such may be subject to public disclosure unless otherwise exempt under the Act.

From: Dossey, Kenny
Sent: Monday, June 22, 2020 4:37 PM
To: 'Jason Dobine' <jdobine@placentia.org>; 'Chadwyn Thompson' <CThompson@anaheim.net>; 'Newton, Jamie' <JamieN@fullertonfire.org>; 'Stefano, Robert' <rstefano@cityoforange.org>
Subject: Dispatch Mayday Drill

Jason,
Any news on the dispatch drill scheduled tomorrow at Placentia?

Let me know ASAP.



Kenny Dossey

Assistant Chief, Operations
Orange County Fire Authority
Office: 714.573.6006 | Mobile: 949.560.5126

Executive Assistant
Judy Rader | 714.573.6023 | judyrader@ocfa.org

In Service of Others!

CONFIDENTIAL COMMUNICATION

This electronic mail message and any attachments are intended only for the use of the addressee(s) named above and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If you are not an intended recipient, or the employee or agent responsible for delivering this e-mail to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you received this e-mail message in error, please immediately notify the sender by replying to this message or by telephone. Thank you.

From: Fennessy, Brian <brianfennessy@ocfa.org>
Sent: Monday, June 22, 2020 4:26 PM
To: Dossey, Kenny <KennyDossey@ocfa.org>
Cc: Sanchez, Mark (Pokey) <MarkSanchez@ocfa.org>
Subject: RE: Placentia Operations Sub Committee Meeting 6/22/20

Thanks Chief.....extremely discouraging.

I will share as appropriate.

I appreciate you and the other OPS Chiefs working to assist Placentia prepare for July 1.

I will follow back up. Let me know if there are any changes to the below.

BF



Brian Fennessy

Fire Chief
Orange County Fire Authority
714.573.6010 (Office)
714.559.2700 (Mobile)
brianfennessy@ocfa.org
www.ocfa.org

In service of others!

CONFIDENTIAL COMMUNICATION

This electronic mail message and any attachments are intended only for the use of the addressee(s) named above and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If you are not an intended recipient, or the employee or agent responsible for delivering this e-mail to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you received this e-mail message in error, please immediately notify the sender by replying to this message or by telephone. Thank you.

From: Dossey, Kenny
Sent: Monday, June 22, 2020 14:32
To: Fennessy, Brian <brianfennessy@ocfa.org>
Cc: Sanchez, Mark (Pokey) <MarkSanchez@ocfa.org>
Subject: Placentia Operations Sub Committee Meeting 6/22/20

Chief Fennessy,

This is FYI only.

Today, The Operations Chiefs Sub Group for the Placentia transition met with the Placentia Operations Chief. Unfortunately today was like all the other meetings and no progress was made. This is the seventh time this group has met, and we have more questions than answers. The main problem is the Operations Chief from Placentia is not informed and unable to make any decisions. This is no fault of his own, he has been honest, listens and always takes our input and advice. The group was supposed to meet tomorrow and watch a Placentia manipulative safety drill and observe the Placentia dispatch on a firefighter mayday drill. When we showed up to the meeting today, we were informed the manipulative drill was cancelled, less than 24 hours before the drill.

Some of the simple questions with no answers are:

1. Can the Placentia dispatch handle a firefighter mayday?
2. Can the Placentia Firefighters function and handle a downed firefighter with a mayday?
3. Does the Placentia Firefighters know how to work the Rescue Intervention Crew Bag (RIC)?
4. What is the procedure for a Placentia First Alarm Structure Fire? (Or any second or greater)
5. Is Placentia going to call MetroNet or OCFA for assistance and how does that look?
6. Will the Placentia Dispatch only use Fullerton since they are automatic and free?
7. With Fullerton's Truck Company being so far away, how does Placentia plan on using a Truck Company on fires or if people are trapped in their car after an accident?
8. Who will the Placentia dispatch call first if help is needed? Will it be based off of location of the emergency?
9. How will the part time Patrol unit respond? How many firefighters will be assigned to it? What calls will it go on?
10. What is the roll of the Reserve Firefighter?
11. Will Placentia respond out of city/county on calls?
12. What does the Placentia response for a vegetation fire look like?
13. What are the ICS qualifications of their personnel?
14. The Placentia EMS system is new to OC, we have a lot of questions with no answers. (the EMS Sub Committee met once and never met again?)

This is some of the basic questions, there is 10 more questions for each answer. All we know is there is two engines with 3 career firefighters and maybe a reserve on each unit. They will have private medics that will take calls sometimes without the fire department assistance. With ten days to go, we are in the dark with information.

The Ops group will meet one more time without Placentia and develop a few plans based on safety concerns for our firefighters and direction for the dispatch centers.

Thanks,



Kenny Dossey

Assistant Chief, Operations
Orange County Fire Authority
Office: 714.573.6006 | Mobile: 949.560.5126

Executive Assistant
Judy Rader | 714.573.6023 | judyrader@ocfa.org

In Service of Others!

CONFIDENTIAL COMMUNICATION

This electronic mail message and any attachments are intended only for the use of the addressee(s) named above and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If you are not an intended recipient, or the employee or agent responsible for delivering this e-mail to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you received this e-mail message in error, please immediately notify the sender by replying to this message or by telephone. Thank you.

From: Chadwyn Thompson <CThompson@anaheim.net>

Sent: Wednesday, June 10, 2020 1:41 PM

To: Dossey, Kenny <KennyDossey@ocfa.org>

Subject: Re: Progress and Training

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Yes, thanks. Really trying to prompt Jason to accept the training invite. Chad

On Jun 10, 2020, at 1:38 PM, Dossey, Kenny <KennyDossey@ocfa.org> wrote:

Did you get OCFA?

From: Chadwyn Thompson <CThompson@anaheim.net>

Sent: Wednesday, June 10, 2020 12:10 PM

To: Jamie Newton <jamie.newton@fullertonfire.org>; Dobine Jason <jdobine@placentia.org>; Stefano Robert <rstefano@cityoforange.org>; Dossey, Kenny <KennyDossey@ocfa.org>

Subject: RE: Progress and Training

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Got it for ORG, FUL/BRE. Chad

From: Jamie Newton <jamie.newton@fullertonfire.org>

Sent: Wednesday, June 10, 2020 11:59 AM

To: Chadwyn Thompson <CThompson@anaheim.net>; Dobine Jason <jdobine@placentia.org>; Stefano Robert <rstefano@cityoforange.org>; Dossey Kenny <kennydossey@ocfa.org>

Subject: RE: Progress and Training

Thanks Chad,

Fullerton/Brea will be sending Brea Engine 1 and Fullerton Engine 5.

Thanks,

<image001.jpg>

From: Chadwyn Thompson [<mailto:CThompson@anaheim.net>]

Sent: Wednesday, June 10, 2020 10:46 AM

To: Dobine Jason; Stefano Robert; Dossey Kenny; Jamie Newton

Subject: Progress and Training

Good morning men - please confirm your attendance and rigs for the June 16th training if you haven't already. I am inputting this information into our OPS Calendar and coordinating with our Training Officer.

The address is:
508 S. Brookhurst St.
Anaheim, CA 92804

There is room to park our apparatus and overhead vehicles in the back of the building. We will start with an onsite safety being at 10:00 AM.

This is going to be a good day of training and a really good step forward for all of us.

Just a recap of our progress with some future goals:

- May 18 - We met in the school parking lot to meet & greet each other and cover the basic set up that Placentia Fire is planning to implement: academy, apparatus, station numbers and rig locations, along with how reserves will be used on
- May 26 - We discussed foundational safety related situations and circumstances: multi-unit responses, Mayday operations, IDLH operations, MCI with Lynch.
- June 4 - Jason attended the regular OC OPS Chief Meeting at NNet and was able to answer questions for the OPS Chiefs.
- June 8 - We confirmed the June 16 training day, we realized the need to have ECC managers in our meeting to discuss dispatching and districts.

- June 15 - We will have Tracy from Metro Net, Stephanie from Placentia Dispatch, and Jeff Logan from OCFA Dispatch at our meeting.
- June 16 - Our agency personnel will train together at the acquired structure practicing FF Down/Mayday operations while Placentia Dispatch observes at OCFA ECC.
- June 22 - I would anticipate we will continue to meet each Monday like we have so far.

I really appreciate how we have been working together, this is good progress so let's keep moving forward.

Regards,

Chad

Chad Thompson
Division Chief of Operations
Anaheim Fire & Rescue
Cell (714) 343-4430

PLA Report

Incident Follow Up

BASTANCHURY ROAD – July 8, 2020

- OCFA CAD Incident #: 20-076712
- Call Type: Fall
 - OCFA Medic 10 (Showed 2:17 response time at time of dispatch)
 - BRE E3 (Showed 3:42 response time at time of dispatch)

For this incident Medic 10 handled the incident and canceled BRE E3. Additionally, this was not a Critical Medical incident that would have resulted in requesting the closest non fire-based EMS units at time of dispatch.

17051 HILLWOOD – July 17, 2020

- OCFA CAD Incident #: 20-080367
- Call Type: Wires Arching
 - BRE E3 (Showed 2:40 response time at time of dispatch)

For this incident BRE E3 was not responding from quarters and was available from Imperial Highway / La Floresta. This location was picked up from their AVL, and recommended and closest most appropriate unit for response.

TUCANA STREET – July 18, 2020

- OCFA CAD Incident #: 20-081017
- Call Type: Ill Person
 - OCFA Medic 10 (Showed 3:15 response time at time of dispatch)
 - FUL E5 (Showed 5:12 response time at time of dispatch)

This incident was not a Critical Medical incident that would have resulted in requesting the closest non fire-based EMS units at the time of dispatch.

Placentia FD Responses into Yorba Linda (July 1 -September 3

Date	Incident	Unit	Request	Responding	Canceled	On Scene
7/1/2020	STR	ENGINE	12:01 PM	12:07 PM	12:07 PM	-
7/2/2020	MED	ENGINE	10:30 AM	-	10:37 AM	-
7/2/2020	MED	AMBULANCE	10:30 AM	-	10:37 AM	-
7/4/2020	STRC	ENGINE	12:48 PM	-	12:54 PM	-
7/25/2020	UNCON	ENGINE	7:02 AM		7:09 AM	
7/25/2020	UNCON	AMBULANCE	7:02 AM		7:09 AM	
8/7/2020	CHESTA	ENGINE	7:24 PM	7:27 PM	7:29 PM	
8/7/2020	CHESTA	AMBULANCE	7:24 PM	7:27 PM	7:29 PM	
8/11/2020	UNCON	ENGINE	9:52 AM		9:54 AM	
8/11/2020	UNCON	AMBULANCE	9:52 AM		9:54 AM	
8/19/2020	CA	AMBULANCE	8:51 AM		8:57 AM	
9/3/2020	UNCON	ENGINE	7:34 AM		7:38 AM	
9/3/2020	UNCON	AMBULANCE	7:34 AM		7:38 AM	
9/3/2020	CHESTA	ENGINE	6:43 PM		6:47 PM	
9/3/2020	CHESTA	AMBULANCE	6:43 PM		6:47 PM	
9/8/2020	CHESTA	ENGINE	5:04 AM		5:07 AM	
9/8/2020	CHESTA	AMBULANCE	5:04 AM		5:08 AM	
9/13/2020	ALLERA	ENGINE	1:08 PM		1:10 PM	
9/13/2020	ALLERA	AMBULANCE	1:08 PM		1:10 PM	
9/18/2020	STR	TRUCK	1:11 AM	1:15 AM	1:18 AM	
9/19/2020	UNCON	TRUCK	3:03 PM		3:10 PM	
9/19/2020	UNCON	AMBULANCE	3:03 PM	3:08 PM	3:10 PM	
9/25/2020	CHESTA	AMBULANCE	7:29 AM	7:34 AM	7:37 AM	
9/25/2020	CHESTA	TRUCK	7:29 AM	7:35 AM	7:37 AM	
9/25/2020	CHESTA	AMBULANCE	1:24 PM	1:28 PM	1:31 PM	
9/25/2020	CHESTA	TRUCK	1:24 PM	1:28 PM	1:31 PM	
9/25/2020	CHESTA	BATTALION (PLA B1)	1:29 PM	1:29 PM	1:31 PM	
9/29/2020	CHESTA	AMBULANCE	10:14 AM		10:18 AM	
9/29/2020	CHESTA	TRUCK	10:14 AM		10:19 AM	
9/29/2020	UNCON	AMBULANCE	10:04 PM		10:06 PM	
9/29/2020	UNCON	TRUCK	10:04 PM		10:06 PM	
9/30/2020	CHESTA	AMBULANCE	12:36 AM		12:39 AM	
9/30/2020	CHESTA	TRUCK	12:36 AM		12:39 AM	

OCFA Responses into Placentia (July 1 -September 30, 2020)

Date	Incident	Unit	Request	Responding	Canceled	On Scene
8/14/2020	CCT	ENGINE	5:59 PM	6:00 PM	6:58 PM	6:05 PM
8/26/2020	CCT	ENGINE	12:51 PM	12:52 PM	1:43 PM	12:58 PM
8/26/2020	CCT	BC	12:53 PM	12:54 PM	1:31 PM	1:07 PM
9/16/2020	STR	TRUCK	9:17 AM	9:18 AM	9:33 AM	11:15 AM
9/16/2020	STR	BC	9:17 AM	9:18 AM	9:34 AM	11:35 AM

9/16/2020	STR	DC	9:17 AM	9:21 AM	9:57 AM	11:52 AM
9/16/2020	STR	HMRT	9:18 AM	9:19 AM	9:21 AM	
9/16/2020	STR	HMRT	9:18 AM	9:24 AM	11:39 AM	9:57 AM
9/16/2020	STR	HMRT	9:19 AM	9:24 AM	11:05 AM	9:45 AM
9/16/2020	STR	SUPPORT	10:02 AM	10:13 AM	10:13 AM	
9/16/2020	STR	SUPPORT	10:13 AM	10:13 AM	10:44 AM	11:52 AM

30, 2020)

Total Commit
6 Minutes
7 Minutes
7 Minutes
6 Minutes
6 Minutes
6 Minutes
4 Minutes
4 Minutes
2 Minutes
2 Minutes
5 Minutes
4 Minutes
4 Minutes
4 Minutes
4 Minutes
3 Minutes
4 Minutes
2 Minutes
2 Minutes
7 Minutes
7 Minutes
7 Minutes
8 Minutes
8 Minutes
7 Minutes
7 Minutes
2 Minutes
4 Minutes
5 Minutes
2 Minutes
2 Minutes
3 Minutes
3 Minutes

Total Commit
59 Minutes
51 Minutes
38 Minutes
118 Minutes
138 Minutes

155 Minutes
3 Minutes
140 Minutes
105 Minutes
10 Minutes
99 Minutes