



 AUTHORITY: California Health and Safety Code Division 2.5, 1797.200. California Code, Title 22, Div 9, sec 100170.a.2

II. APPLICATION:

This policy describes the standard minimum drug and equipment inventory for an Advanced Life Support (ALS) unit in Orange County.

Title 8 CCR Section 5193, Bloodborne Pathogens, requires sharps injury prevention/needleless products to be utilized when appropriate.

All equipment and supplies must be latex free.

III. DEFINITIONS:

"Optional" means equipment, supplies, or pharmaceuticals that are not required in the minimum inventory, but which ALS providers are authorized to include in unit inventories.

"or" means either equipment, supply, or pharmaceutical is appropriate and effective. It does not imply that both must be stocked in inventory, rather either or both can be stocked.

IV. CRITERIA:

The number or amount of each item listed is at the discretion of the ALS provider based on a specific unit's needs for its service area. Equipment, supplies, and drug inventory that is not part of the authorized Orange County ALS Scope of Practice is not permitted without formal approval of the California EMS Authority upon request of the Orange County EMS Agency. Inventory for special ALS units (tactical, fire line, search and rescue) are defined in other OCEMS policies.

V. EQUIPMENT:

BAG-VALVE DEVICE WITH OXYGEN INLET AND RESERVOIR:

Adult and Pediatric

BANDAGE SCISSORS

BACKBOARD:

Adult, X-ray transparent. Minimum of three straps

AUTOMATIC CHEST COMPRESSION DEVICE: (Refer to Note #1 below) U.S. Food and Drug Administration approved with continuous hands free

chest compression, portable, and battery driven.

Compression constriction band design or chest encircling band with

plunger design.

Pass through defibrillator capable or design that allows for cardiac

defibrillation with device in place.

CONTINOUS POSTIVE AIRWAY PRESSURE DEVICE Adult and pediatric

LARYNGOSCOPE:

Blades: Adult - curved/straight #3 and #4 recommended

Pediatric - straight #1 and #2 (for direct laryngoscopy foreign

body removal)

MAGILL FORCEPS:

Adult and Pediatric; closed tip

OCEMS Policy #325.00 Initial Release Date: 10/01/2025 Final Implementation Date: Apr 1, 2026





MONITOR / DEFIBRILLATOR: Biphasic, adjustable output, defibrillator with oscilloscope (FDA approved)

Defibrillator-pacer pads with functional cables and connectors

ECG pads with functional cables and connectors

Synchronizer: designed to deliver a synchronized defibrillating pulse,

timed to avoid the T-wave of the cardiac cycle.

12-lead ECG capability with internal interpretation protocol to identify an acute myocardial infarction and abiity for transmission to CVRC.

Transcutaneous pacing module

End-tidal CO₂ monitor with either single or continuous wave-form reading

output

Recorder: Must be able to produce a paper print out of high quality.

Batteries/Charge Units as Main Power Source

SPHYGMOMANOMETER:

Assorted cuff sizes, including adult and pediatric

STETHOSCOPE:

Disposable or non-disposable diaphragm type

SUCTION UNIT:

Portable, with disposable canister

TOURNIQUET:

Manufactured, hemostatic, FDA and California EMS Authority approved

TRACTION SPLINTS:

Lightweight, portable: adult, pediatric (BARRIER PROTECTION ACCEPTABLE)

NOTE #1: Automatic Chest Compression Device:

Deployed as determined by ALS provider to be immediately available to maintain continuation of CPR when patient is physically moved and chest compression by hand will be interrupted [such as loading onto gurney (stretcher) or during transport and off-loading].

OPTIONAL APPROVED EQUIPMENT:

AUTOMATIC TRANSPORT

VENTILATOR:

Pressure or volume cycled with adjustable tidal volume and rate, audible and visible alarms and alerts with digital monitor screen. Battery powered (not

pressure cycled from oxygen cylinder). Must be FDA approved.

BREAKAWAY FLAT

Vertically stable for full spinal immobilization

BACKBOARDS:

Pediatric

EXTRICATION SPLINT:

Horizontal flexible, vertical rigidity; stabilizes head, neck and back

END-TIDAL CO2 NASAL/BVM: End-tidal CO2 nasal cannula and adapter for BVM.

RESUSCITATOR:

40 L/min maximum delivery capability, portable, lightweight, minimum 6' length hose to head, constant flow valve 0-15 L/min demand valve head

SLIDING (TRANSFER) FLAT:

Required for IFT- ALS units.

INFUSION PUMP:

Adjustable rate for Intravenous medication delivery at volume (milliliters) per minute or hour; battery operated with digital delivery readout and visual/ audible malfunction alarms. Must be FDA approved. Required for IFT- ALS units.

OCEMS Policy #325.00

Initial Release Date: 10/01/2025 Final Implementation Date: Apr 1, 2026





VIDEO LARYNGOSCOPE:

Battery powered portable. (internal memory card optional).

VI. SUPPLIES:

Airway adapters: standard 15mm ID X 22mm OD both ends

Airway, nasopharyngeal: 4.5mm - 9.0mm or adult and pediatric sizes

Airway, oral: Adult and pediatric sizes

Alcohol wipes

Arm board: short, with rigid insert, padded (BARRIER PROTECTION ACCEPTABLE) Arm board: long, with rigid insert, padded (BARRIER PROTECTION ACCEPTABLE)

Atomizer for nasal administration of medications

Bags (for trash)

Basin, emesis (BARRIER PROTECTION ACCEPTABLE)

Blanket, disposable

Burn dressing: Clean sheet or commercial burn covering sheet

Cannulas, nasal oxygen: Adult and pediatric

Catheter, suction: sizes #6, #10, #14

Cold packs, chemical (BARRIER PROTECTION ACCEPTABLE)

Combitubes® or equivalent: Regular and Small Adult

AND/OR

King® Airway or equivalent: Sizes 4, 5 (size 3 optional)

AND/OR

Supraglottic Airway (Laryngeal Mask Airway): Sizes 4, 5 (size 3 optional)

Dressings: Kerlix or equivalent

Gauze 4 in. x 4 in. /2 in. X 2 in.

OP Site® or equivalent, approx. 2" x 3" (for IV sites)

ET tubes: soft cuff, assorted adult sizes with stylets

Flexible intubation guide

Gloves: Assorted sizes, including clean and sterile packaged

Glucometer with non-expired test strips and lancets

Intraosseous (IO) needles with or without introducer device

IV catheters, over needle type: assorted sizes and saline lock chambers (fittings)

IV tubing: Macro drip, with flow rate regulator and two medication injection sites and a "Y" adapter.

Masks, disposable ventilation: sizes Neonate, infant, and child

Mask, oxygen non-rebreather: adult and pediatric

Nebulizer, Acorn type, with mouth piece and mask attachments

Needle-ARS type for chest decompression OR Needle chest decompression kit

Needles for IM injection, assorted sizes

Needle (sharps) disposal unit

OCEMS Policy #325.00 Initial Release Date: 10/01/2025 Final Implementation Date: Apr 1, 2026





OB kit with bulb syringe

Pediatric length-based resuscitation tape Personal protective equipment (OSHA compliant masks, gowns, gloves, eye shields) Pulse oximetry device, may be incorporated within defibrillator

Razors, disposable Restraints: Soft

Solution, sterile; NS 1000 ml (for irrigation) Suction, tonsil tip; semi rigid or rigid, large bore (Yankauer suction tip) Syringes, assorted sizes

Tape (paper, plastic hypoallergenic): assorted sizes and types Tourniquets, for facilitating IV placement

Petroleum (such as Vaseline®) gauze

Underpads (such as CHUX®)/protective pads)

OPTIONAL APPROVED SUPPLIES:

Band-Aids

CO₂ detector – End tidal CO₂ detector attachable to endotracheal tube (colorimetric)

Dressings: Abdominal gauze

Eye pads

Hemostatic gauze

ET tube holders

Impedance Threshold Device

Infant Transport Mattress, heated, consistent temperature not to exceed 42 degrees centigrade IV tubing: Micro drip, 60 drops/mL

One-way 'flutter' valve

Penlight/flashlight

Restraints: Hard restraints padded and quick release per Policy 330.57.

Solution, sterile; NS 1000 mL (for irrigation)

Thermometer; temporal, otic, or oral; electronic with disposable patient contact probes Tubing, oxygen connecting

OCEMS Policy #325.00 Initial Release Date: 10/01/2025 Final Implementation Date: Apr 1, 2026





VII. PHARMACEUTICAL INVENTORY:

PHARMACEUTICAL	PREPARATIO

Adenosine 12 mg/4mL vial or prefilled syringe or

6 mg/2 mL vial or prefilled syringe

Albuterol (for nebulizer inhalation) 3.0 mL (2.5 mg) of a 0.083% solution

Amiodarone 50 mg/mL, vial or prefilled syringe

Aspirin, chewable 81 mg tablet individually packaged or

325 mg tablet individually packaged

Atropine 1 mg ampule, vial or prefilled syringe

Dextrose 10% 250 mL IV bag, 10% solution

Diphenhydramine (BenadryI™) 50 mg/mL, 1 mL single dose vial or carpuject

Epinephrine 0.1 mg/mL 1 mg/10 mL prefilled syringe

Epinephrine 1.0 mg/mL 1 mg/1 mL ampule, 1 mg/1 mL vial, or 30 mL vial

Glucose, oral solutions Various formulations

Glucagon 1 mg ampule with diluent

Ketorolac 15 mg/ 1mL vial

Ketamine 500 mg/10 mL vial

Lidocaine 2% solution 100 mg / 5 mL, 5 mL prefilled syringe

Midazolam 5 mg/1 mL vial or carpuject, 10 mg/2 mL vial

Morphine sulfate

10 mg/10 mL, prefilled syringe or 4 mg/1 mL, carpuject; or (may carry or replace with optional fentanyl) 10 mg/1 mL, 1 mL vial

Naloxone (Narcan®) Various IV/IM formulations ampules, vials, prefilled

syringe, or carpujects; or 4mg/0.1 mL preloaded nasal spray

Nitroglycerin 0.4 mg/metered dose spray, 0.4 mg/tabs or

0.4 mg powder (single dose packets)

Normal saline for nebulized inhalation 10 mL prefilled syringe or vial without preservative

Normal saline 1000 mL or 500 mL or 250 mL sterile IV bag

Ondansetron (Zofran®) 4 mg oral dissolving tablet (ODT) or

4 mg/2 mL prefilled syringe or 4 mg/2 mL single dose vial

OCEMS Policy #325.00 Initial Release Date: 10/01/2025 Final Implementation Date: Apr 1, 2026





Sodium bicarbonate 1mEq/mL, 50 mL prefilled syringe (8.4%)

or 44.6 mEq/50 mL prefilled syringe (7.5%)

OPTIONAL APPROVED PHARMACEUTICALS

PHARMACEUTICAL PREPARATION

Albuterol metered dose inhaler 18 gram canister (200 inhalation doses)

(SINGLE PATIENT USE ONLY)

Atropine 0.4 mg/mL, 20 mL vial

Duodote Autoinjector Prepackaged kit containing Atropine and 2-PAM

Epi Pen Auto Injector 0.3 mg Auto injector

Epi Pen Auto Injector Junior 0.15 mg Auto injector

Fentanyl (may carry in addition to morphine or

as primary opioid in place of morphine)

100 mcg/2 mL vial or carpuject

Hydroxocobalamin 5 gm in 200 mL 0.9% normal saline, 25 mg/mL

Naloxone (Narcan®) 8mg/0.1 mL preloaded nasal spray

Approved:

Carl H. Schultz, MD

OCEMS Medical Director

OCEMS Policy #325.00

Michael Noone, NRP

OCEMS Assistant Administrator

Original Date: 1/31/1989

Reviewed Date(s): 9/02/2014, 10/03/2014, 8/21/2015, 6/20/2016, 9/01/2016; 4/1/2017; 02/6/18,

01/10/2019, 02/10/2020; 05/21/2021, 06/1/2022; 10/24/2023; 07/01/2024;

04/2024:10/2025

Revised Date(s): 8/21/2015, 6/20/2016, 11/1/2016; 4/1/2017; 02/6/18; 11/2/2018; 01/10/2019,

02/10/2020; 06/07/2021; 09/06/2022;10/24/2023; 07/01/2024; 03/10/2025;

10/7/2025

Effective Date: 4/01/2020; 07/07/2021; 10/01/2022; 11/01/2023; 07/01/2024; 04/01/2025;

04/01/2026